



o/c

ENVIRO TECHNOLOGY LIMITED

Ref: ETL/ANK/010/2021/647

Date: 26.10.2021

To,  
The Additional Principal Chief Conservator of Forests (Central)  
Ministry of Environment, Forest & Climate Change,  
Regional Office, Western Region, "Kendriya Paryavaran Bhavan"  
Link Road No.3, E-5, Ravi Shankar Nagar,  
Bhopal - 462026

Subject: Half yearly EC Compliance Status of Environmental clearance for expansion of M/s Enviro Technology Limited Common Effluent Treatment Plant for the period April 2021 - September 2021.

Ref.:

1. Environmental Clearance No. 10-2/2008-IA-III dated 23<sup>rd</sup> July 2009.
2. Environmental Clearance No. 10-2/2008-IA-III dated 3<sup>rd</sup> July 2017.
3. Environmental Clearance No. 10-82/2018-IA-III dated 16<sup>th</sup> December 2019

Respected Sir,

ETL is operating a CETP consisting of primary, secondary, and tertiary treatment located at plot No 2413/14 GIDC estate, Ankleshwar-393002, Dist.Bharuch,Gujarat.

We have two EC's referred under 1&3 and an EC validity extension referred under 2. We would like to draw your kind attention on the following:

1. EC referred under 1&2 i.e., EC dated 2009 & its validity extension dated 2017; we have not implemented any expansion as per this EC due to moratorium imposed on the critically polluted area which included Ankleshwar, and the validity of this EC is over on 22.07.2019. Non-implementation of this project is also mentioned in our EC dated 16.12.2019. Therefore, as the validity of this over, compliance report of this EC is not submitted.
2. EC dated 16.12.2019, referred under 3 for expansion (from 1.8 MLD to 3.5 MLD effluent) with modification is also not yet implemented. We have obtained a CTE from GPCB on 22.04.20 but due to Pandemic Covid-19, the project was delayed. Currently construction work for the said project is going on.

We have not implemented EC 10-82/2018-IA-III dated 2019, but with this we are submitting its current compliance status along with all the required documents.

Kindly note that, ETL is currently operating on effluent inlet of 2.2 MLD as per its CCA amendment no.113210 dated 07.08.21.



1 of 2

CIN NO.:

U72200GJ1994PLC023786

Works Office:

2413/2414 & 2211, GIDC Estate, Ankleshwar - 393 002 Dist. : Bharuch (Gujarat)

Phone : (02646) 223569 252768 250707




## ENVIRO TECHNOLOGY LIMITED

ETL inlet and discharge quantities for the said period are as below which are within limits as per CCA dated 07.08.21:

Period	Average Inlet effluent (MLD)	Average Sewage (MLD)	Average Discharge Quantity along with sewage (MLD)
1 <sup>st</sup> April 2021 to 30 <sup>th</sup> September 2021	1.313	0.639	2.147
Capacity as per CCA-113210 dated 07.08.21	2.2	1.1	3.5

We would like to bring to your kind attention that the treated effluent is discharged to FEIP operated by NCT for further treatment and disposal to deep sea.

Thanking you,  
Yours faithfully,  
For Enviro Technology Limited

  
M. Darji  
Unit Head

C.C: (1) Gujarat Pollution Control Board  
Ankleshwar

(2) Central Pollution Control Board  
Vadodara

भारतीय डाक  
RG119666460IN IVR:8271119666460  
RL ANKLESHWAR IE SO <393002>  
Counter No:1,28/10/2021,10:17 India Post  
To:CENTRAL POLLUTION,VADODARA  
PIN:390023, Subhanpura SO  
From:ENVIRO TECHNOLOGY,ANK  
Wt:290gms  
Amt:95.00(Cash)  
<Track on [www.indiapost.gov.in](http://www.indiapost.gov.in)>  
<Dial 18002666868> <Wear Masks, Stay Safe>

भारतीय डाक  
RG119666456IN IVR:8271119666456  
RL ANKLESHWAR IE SO <393002>  
Counter No:1,28/10/2021,10:17 India Post  
To:MINISTRY OF ENVIRONMENT,BHOPAL  
PIN:462026, University S.O (Bhopal)  
From:ENVIRO TECHNOLOGY,ANK  
Wt:310gms  
Amt:100.00(Cash)  
<Track on [www.indiapost.gov.in](http://www.indiapost.gov.in)>  
<Dial 18002666868> <Wear Masks,

CIN NO. :

U72200GJ1994PLC023786

Works Office :

2413/2414 & 2211, GIDC Estate, Ankleshwar - 393 002 Dist. : Bharuch (Gujarat)

Phone : (02648) 222588, 252788, 250707



## ENVIRO TECHNOLOGY LIMITED

Ref: ETL/ANK/010/2021/647

Date: 26.10.2021

To,  
The Additional Principal Chief Conservator of Forests (Central)  
Ministry of Environment, Forest & Climate Change,  
Regional Office, Western Region, "Kendriya Paryavaran Bhavan"  
Link Road No.3, E-5, Ravi Shankar Nagar,  
Bhopal – 462026

Subject: Half yearly EC Compliance Status of Environmental clearance for expansion of M/s  
Enviro Technology Limited Common Effluent Treatment Plant for the period **April  
2021 – September 2021.**

Ref.:

1. Environmental Clearance No. 10-2/2008-IA-III dated 23<sup>rd</sup> July 2009.
2. Environmental Clearance No. 10-2/2008-IA-III dated 3<sup>rd</sup> July 2017.
3. Environmental Clearance No. 10-82/2018-IA-III dated 16<sup>th</sup> December 2019

Respected Sir,

ETL is operating a CETP consisting of primary, secondary, and tertiary treatment located at plot No 2413/14 GIDC estate, Ankleshwar-393002, Dist.Bharuch,Gujarat.

We have two EC's referred under 1&3 and an EC validity extension referred under 2. We would like to draw your kind attention on the following:

1. EC referred under 1&2 i.e., EC dated 2009 & its validity extension dated 2017; we have not implemented any expansion as per this EC due to moratorium imposed on the critically polluted area which included Ankleshwar, and the validity of this EC is over on 22.07.2019. Non-implementation of this project is also mentioned in our EC dated 16.12.2019. Therefore, as the validity of this over, compliance report of this EC is not submitted.
2. EC dated 16.12.2019, referred under 3 for expansion (from 1.8 MLD to 3.5 MLD effluent) with modification is also not yet implemented. We have obtained a CTE from GPCB on 22.04.20 but due to Pandemic Covid-19, the project was delayed. Currently construction work for the said project is going on.

We have not implemented EC 10-82/2018-IA-III dated 2019, but with this we are submitting its current compliance status along with all the required documents.

Kindly note that, ETL is currently operating on effluent inlet of 2.2 MLD as per its CCA amendment no.113210 dated 07.08.21.

1 of 2

**CIN NO. :** U72200GJ1994PLC023786  
**Works Office :** 2413/2414 & 2211, GIDC Estate, Ankleshwar - 393 002 Dist. : Bharuch (Gujarat)  
Phone : (02646) 223569, 252768, 250707  
Email : dalwadibd@bell.co.in, darjiam@bell.co.in  
**Reg. Office :** 9701-16, GIDC Estate, Ankleshwar - 393 002 Dist. : Bharuch (Gujarat)




## ENVIRO TECHNOLOGY LIMITED

ETL inlet and discharge quantities for the said period are as below which are within limits as per CCA dated 07.08.21:

Period	Average Inlet effluent (MLD)	Average Sewage (MLD)	Average Discharge Quantity along with sewage (MLD)
1 <sup>st</sup> April 2021 to 30 <sup>th</sup> September 2021	1.313	0.639	2.147
Capacity as per CCA-113210 dated 07.08.21	2.2	1.1	3.5

We would like to bring to your kind attention that the treated effluent is discharged to FETP operated by NCT for further treatment and disposal to deep sea.

Thanking you,  
Yours faithfully,  
For Enviro Technology Limited

  
A. M. Darji  
Unit Head

C.C: (1) Gujarat Pollution Control Board  
Ankleshwar

(2) Central Pollution Control Board  
Vadodara

**Compliance Status for the period of April'21 - September'21 of Environment clearance to M/s Enviro Technology Limited for proposed expansion with modification of existing Common Effluent Treatment Plant at Ankleshwar within the existing premises at plot no 2413/14, Notified G.I.D.C. Estate, Ankleshwar. In category B- 7(h) of schedule with EIA notification, 2006.**

**Note: We have received NOC on dated 22.04.2020 but due to Pandemic Covid-19, the project was delayed. Currently construction work for the said project is going on. (from 1.8 MLD to 3.5 MLD industrial effluent)**

**Environmental Clearance No. 10-82/2018-IA-III dated 16<sup>th</sup> December 2019**

1. This has reference to your online proposal No. INGJ/MIS/84597/2018 dated 9th April 2019, submitted to this Ministry for grant of Environmental Clearance (EC) in terms of the provisions of the Environment Impact Assessment (EIA) Notification, 2006 under the Environment (Protection) Act, 1986. :

**Noted**

2. The proposal for grant of environmental clearance to the project Proposed expansion with modification of existing Common Effluent Treatment Plant at Ankleshwar within the existing premises by M/s Enviro Technology Limited, was considered by the Expert Appraisal Committee (Infra-2) in its 41st meeting held during 27-29 May, 2019 and 42nd meeting held during 10-12 July, 2019. The details of the project, as per the documents submitted by the project proponent, and also as informed during the above meeting are as under:

- (i) M/s Enviro Technology Ltd. is the operator of existing CETP (capacity 2.2 MLD effluent with sewage of 1.7 MLD), since 1996 at plot No 2413/14 GIDC Notified Industrial Estate Ankleshwar. Raw Effluent from more than 250-member industries such as dyes, intermediate, pigment, chemicals, textile, pharmaceuticals etc. that are flourishing in and around Ankleshwar industrial estate is collected in tankers and treated at CETP having Primary, Secondary and Tertiary Treatment facilities. Treated effluent from CETP is being discharged through GIDC drain into Final Effluent Treatment Plant (FETP) operated by M/s. Narmada Clean Technology Ltd. (NCT), Ankleshwar for further treatment and disposal to deep sea. The plant is in operation with valid Consent to Operate & Authorization valid up to 18.03.2024.:

**Noted**

- (ii) The Enviro Technology Limited had obtained Environment Clearance (EC) vide letter No.10 2/2008-IA.III dated 23.07.2009 for proposed capacity enhancement of Common Effluent Treatment Plant (CETP) for treatment of industrial effluent from 1.8 to 3.5 MLD. The Validity of Environmental Clearance (EC) for expansion was extended up to 22.07.2019 vide Letter No 10-2/2008-IA. III dated 03.07.2017 for treatment of 3500 m<sup>3</sup>/day industrial wastewaters and use of 1445 m<sup>3</sup>/day GIDC water. Consequent to notification of Moratorium imposed on Critically Polluted Areas which included Ankleshwar Industrial Estate vide OM No. J-11013/5/2010-IA. 11 (1) on 13.01.2010, there has been no expansion and no new industries came up as a result there has been no increase in effluent quantity. Accordingly, ETL did not expand the capacity of CETP and continued to operate on existing capacity of 2.2 MLD of raw effluent as earlier. In the year 2016, the Moratorium has been lifted for Ankleshwar Vide Letter No. J-11013/5/2010-1A. II (A) dated 25.11.2016 based on CEPI index.: **Noted**

- (iii) M/s ETL proposes expansion from 1.8 to 3.5 MLD industrial effluent with modification in the treatment technology plans to utilize the modified quantity sewage mixed with industrial wastewater and fresh water used for chemical dosing & other uses as detailed below:

<b>Sr. No.</b>	<b>Particular</b>	<b>Existing (MLD)</b>	<b>Proposed (MLD)</b>
1.	Industrial Effluent from Member Industries (including 600 m <sup>3</sup> /day of effluent stream of high Ammoniacal Nitrogen)	1.8	3.5
2.	Sewage	1.7	1.7
3.	Fresh/Raw Water	0.725	0.465
4.	Quantity of discharge of Effluent from CETP	3.5	5.548

**Noted**

- (iv) Treated effluent from ETL is discharged to GIDC Drainage system which goes to FETP of NCTL (Narmada Clean Technology Ltd) along with effluent from other industries, for further treatment and disposal up to deep sea through closed pipeline system. ETL has also obtained membership for discharge of additional quantity of effluent after proposed expansion:

**Noted**

- (v) The hazardous wastes generated from different process are listed below & shall be disposed according to Hazardous waste management handling rule.

<b>Hazardous Waste / quantity per year</b>	<b>Source</b>	<b>Mode of disposal</b>
ETP Sludge/36500 MT	ETP	BEIL, TSDF site
Used oil/1.8 MT	lubrication of equipment, DG set	Sold to approved recycler
Discarded Container/ 730 Nos.	Raw material packing container	Sold to authorized dealers
Spent Carbon from Tertiary Treatment / 54 MT	Filters	BEIL, TSDF site

**Noted**

- (vi) As per the EIA Notification, 2006 [as amended], the Common Effluent Treatment Units (CETP) units listed at Serial no. 7 (h) of the Schedule of EIA Notification of categorized under Category However due to location of the existing CETP in the Critically Polluted Area the project has been categorized as "A" category.:

**Noted**

- (vii) Salient Features of the Project are:

<b>Sr.no.</b>	<b>Parameters</b>	<b>Description</b>
1.	Proposed plant capacity	Industrial wastewater: 3500 m <sup>3</sup> /day (including 600 m <sup>3</sup> /day of effluent stream of high ammonical nitrogen).  Sewage: 1700 m <sup>3</sup> /day Raw water: 465 m <sup>3</sup> /day Total Influent: 5625 m <sup>3</sup> /day Total Discharge: 5548 m <sup>3</sup> /day
2.	Existing plant capacity	Effluent: 1800 m <sup>3</sup> /day Sewage: 1700 m <sup>3</sup> /day Raw water: 725 m <sup>3</sup> /day Total Discharge: 3500 m <sup>3</sup> /day (as per valid consent of GPCB)
3.	Plot Area	26543.79 sqm
4.	Location	Notified Industrial Area, Ankleshwar, Gujarat
	Coordinates	Latitude: 21037'11.03''N Longitude: 730 01'38.52'' E
5.	Source of Water	GIDC water supply
6.	Electricity /Power requirement	600 KVA Existing & 600 KVA Proposed. In case of power failure D.G. Set (2*1010 KVA Capacity) will be used.

**Noted**

- (viii) ToR was approved by MoEF & CC (EAC), New Delhi vide letter F.No. 10 82/2018-IA- III dated 13.12.2018.:

**Noted**

- (ix) Baseline monitoring of UPL-1 is also collected by us during from 8th March 2018 to 3rd June,2018 and same was revalidated for one month during 17th December 2018 to 15th January 2019.:

**Noted**

(x) Public hearing was exempted as the project area falls under notified Industrial zone of Ankleshwar.:

**Noted**

(xi) Investment Cost of the project is approx. Rs. 19.35 Crores.:

**Noted**

(xii) Benefits of the project: The proposed CETP shall help in the economical treatment of industrial effluent from small scale industries. Thereby, improving the surrounding environment. Increase in direct/indirect employment opportunities thereby improving overall socio-economic condition.:

**Noted**

(xiii) Employment potential: During operation phase, total no of employee would be around 50.:

**Noted**

3. The project/activity is covered under category 'B' of item 7 ('Common Effluent Treatment plants (CETPs)' of the Schedule to the EIA Notification, 2006 and its subsequent amendments, and requires appraisal at State level. However, due to applicability of general condition i.e. project location in Critically Polluted Area, Ankleshwar, the proposal has been appraised at Central Level.:

**Noted**

4. The proposal was considered by EAC (Infra-2) in its 41st meeting held during 27-29 May 2019 and 42nd meeting held during 10-12 July 2019. The EAC during its meeting deliberated on the certified compliance report letter No. 5-283/2009(ENV)/161 dated 7.3.2019 issued by the MoEF&CC Regional Office Bhopal. As per Compliance report out of total 32 conditions, 7 are fully complied, 02 are complied subject to condition, 4 are in which compliance are not applicable to the project proponent, 15 are agreed to comply and 4 are noted. As per the compliance report, the project proponent i.e. M/s Enviro Technology Limited had received 12 show-cause notices and 02 Directions for closure in past 3 years. All of which have been complied. No closure notice received in the past three years.:

**Noted**

5. The EAC, based on the information submitted and clarifications provided by the Project Proponent and detailed discussions held on all the issues, recommended for grant of Environmental Clearance to the project with stipulated specific conditions along with other Standard EC Conditions as specified by the Ministry vide OM dated 4th January 2019 for the said project/activity, while considering for accord of environmental clearance. As per recommendations of the EAC, the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the project Proposed expansion with modification of existing Common Effluent Treatment Plant at Ankleshwar within the existing premises by M/s Enviro Technology Limited, under the provisions of the EIA Notification, 2006 and amendments/circulars issued thereon, and subject to the specific and general conditions as under:-

**Noted**



**A. SPECIFIC CONDITION:**

<b>Sr. No</b>	<b>Description</b>	<b>Status</b>
I.	The project proponents will implement the project only after getting consent to establish from the SPCB.	Complied  We have received CTE from SPCB on 22.04.20, but due to Pandemic Covid -19, we have not implemented the project. Currently we have started construction work.
II	It shall be ensured that primary treatment of effluents to the level of influent quality standards as prescribed by the board, is ascertained at the member units.	Shall be Complied  We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.
III.	Member shall only be allowed access to the CETP if they have consent from the SPCB.	Shall be Complied  We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.
IV.	A dedicated access-controlled conveyance system shall be provided for transporting effluents from the member units of CETP.	Shall be Complied  Conveyance of effluent is through dedicated tankers controlled by ETL. This system is followed presently, and we shall ensure compliance after project implementation.
V.	Conformance to the influent and effluent standards shall be the responsibilities of CETP.	Shall be Complied  We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of the project.
VI.	The design of the CETP should be as approved by PCB.	Noted  We submit the layout and procedure of CETP to PCB when taking permissions like CTE & CTO.
VII.	There shall be flow meters at inlet and outlet of CETP to monitor the flow. Suitable meters shall be provided to measure the quantity of effluent received, quantity of effluent recycled/reused and discharged.	Complied  Effluent is received in tankers and the details are maintained. At outlet, we have a flow meter installed and readings noted. Based on this the quantities of inlet and outlet are measured.  Same system or other adequate system shall be adopted on implementation of the project.  Details of effluent received, and effluent discharged currently are attached below.

		Month	Average Inlet Effluent (MLD) (2.2 MLD Industrial Effluent)	Final Discharge Quantity Along with 1.1 MLD sewage (Avg. MLD)
		Apr.-21	1.28	2.00
		May-21	1.22	1.91
		June-21	1.41	2.35
		July-21	1.42	2.28
		Aug.-21	1.14	1.89
		Sep.-21	1.40	2.46
VIII.	<p>The units and the CETP shall maintain daily logbook of the quantity and quality of discharge from units, quantity of inflow into the CETP, details of the treatment at each stage of the CETP including the raw materials used, quantity of the treatment water sent back to the units, quantity of the salts extracted from the treatment process and detail of the selling of such salts. All the above information shall be provided on the line of the website exclusive prepared from the purpose by the CETP owner. The website shall be accessible by the public. The financial and energy details of the CETP will also be provided along with details of the workers of the CETP</p>	<p>Shall be Complied</p> <p>For existing operation of 2.2 MLD ETL is maintaining details for the following</p> <ul style="list-style-type: none"> <li>- quantity and quality of discharge of Effluent</li> <li>- Record of Inflow to CETP</li> <li>- Details of treatment at each stage</li> <li>- Record of raw materials used.</li> </ul> <p>It may be noted that ETL is not sending back treated water to member units and is also not extracting salt.</p> <p>EC compliance report comprising the above information is uploaded on the website.</p> <p>We will also follow the same for proposed 3.5 MLD industrial effluent operation.</p> <p>(We must comply with energy details, financials, etc.)</p>		
IX.	<p>Periodical monitoring shall be carried out for the functioning of CETP and outlet parameters.</p>	<p>Shall be Complied</p> <p>For the existing system of 2.2 MLD effluent:</p> <ol style="list-style-type: none"> <li>a) Effluent characteristic at each stage of CETP are regularly monitored in-house to ensure proper functioning of the CETP.</li> <li>b) Outlet parameters are also monitored regularly in-house and by a third party monthly.</li> </ol>		

		<p style="text-align: center;">Average of In-house Final Discharge Quality for 2.2 MLD</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Month</th> <th style="text-align: center;">Apr-21</th> <th style="text-align: center;">May-21</th> <th style="text-align: center;">Jun-21</th> <th style="text-align: center;">July-21</th> <th style="text-align: center;">Aug-21</th> <th style="text-align: center;">Sep-21</th> <th style="text-align: center;">GPCB Permissible Limits</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><b>pH</b></td> <td style="text-align: center;">7.19</td> <td style="text-align: center;">7.23</td> <td style="text-align: center;">7.36</td> <td style="text-align: center;">7.35</td> <td style="text-align: center;">7.56</td> <td style="text-align: center;">7.70</td> <td style="text-align: center;">6.5 to 8.5</td> </tr> <tr> <td style="text-align: center;"><b>COD</b></td> <td style="text-align: center;">903</td> <td style="text-align: center;">948</td> <td style="text-align: center;">942</td> <td style="text-align: center;">809</td> <td style="text-align: center;">901</td> <td style="text-align: center;">942</td> <td style="text-align: center;">1000 mg/L</td> </tr> <tr> <td style="text-align: center;"><b>BOD</b></td> <td style="text-align: center;">9</td> <td style="text-align: center;">8</td> <td style="text-align: center;">8</td> <td style="text-align: center;">9</td> <td style="text-align: center;">9</td> <td style="text-align: center;">9</td> <td style="text-align: center;">200 mg/L</td> </tr> <tr> <td style="text-align: center;"><b>TSS</b></td> <td style="text-align: center;">55</td> <td style="text-align: center;">55</td> <td style="text-align: center;">56</td> <td style="text-align: center;">53</td> <td style="text-align: center;">55</td> <td style="text-align: center;">53</td> <td style="text-align: center;">150 mg/L</td> </tr> <tr> <td style="text-align: center;"><b>NH4-N</b></td> <td style="text-align: center;">32</td> <td style="text-align: center;">23</td> <td style="text-align: center;">15</td> <td style="text-align: center;">24</td> <td style="text-align: center;">46</td> <td style="text-align: center;">45</td> <td style="text-align: center;">50 mg/L</td> </tr> </tbody> </table> <p>“Monthly third-party monitoring data for 2.2 MLD effluent”</p> <p>Internal monitoring &amp; third-party monitoring shall be carried on implementation of the project.</p> <p>Third party monitoring reports for existing system are attached as Annexure – 1(A).</p>	Month	Apr-21	May-21	Jun-21	July-21	Aug-21	Sep-21	GPCB Permissible Limits	<b>pH</b>	7.19	7.23	7.36	7.35	7.56	7.70	6.5 to 8.5	<b>COD</b>	903	948	942	809	901	942	1000 mg/L	<b>BOD</b>	9	8	8	9	9	9	200 mg/L	<b>TSS</b>	55	55	56	53	55	53	150 mg/L	<b>NH4-N</b>	32	23	15	24	46	45	50 mg/L
Month	Apr-21	May-21	Jun-21	July-21	Aug-21	Sep-21	GPCB Permissible Limits																																											
<b>pH</b>	7.19	7.23	7.36	7.35	7.56	7.70	6.5 to 8.5																																											
<b>COD</b>	903	948	942	809	901	942	1000 mg/L																																											
<b>BOD</b>	9	8	8	9	9	9	200 mg/L																																											
<b>TSS</b>	55	55	56	53	55	53	150 mg/L																																											
<b>NH4-N</b>	32	23	15	24	46	45	50 mg/L																																											
X.	The MOU between CETP and member units shall indicate the maximum quantity of effluent to be sent to the CETP along with the quality.	<p>Shall be Complied</p> <p>This procedure is being followed for the existing system and shall be complied in the future also.</p>																																																
XI.	Individual members to the CETP shall treat their effluents in primary treatment systems to the inlet quality standards of the CETP as prescribed by the SPCB.	Member industries are giving primary treatment.																																																
XII.	Individual members shall segregate their wastes in to concentrated and diluted streams and also as per the nature of chemical contamination and store them as per conditions to be specifically imposed in this regard by the SPCB.	Segregation of effluent is done by industries. High Ammonia streams are sent separately for MAP treatment																																																
XIII.	Chemical recovery and reuse, either in-house or outside shall be practiced to the satisfaction of the SPCB. Use in agriculture shall be exercised with caution after getting the irrigation management plan approved by the SPCB.	Noted																																																

XIV.	All tankers carrying untreated wastes and all hazardous and other wastes shall be properly labeled and transported as per the hazardous and other wastes rules 2016.	Shall be Complied  We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.
XV.	The detailed design of the various unit operation shall strictly conform to the directions of the SPCB as given in the CTE.	Shall be Complied
XVI.	The project proponent and SPCB should ensure that the membership of CETP is restricted to only those industries which legitimately exist in the area. A list of industries in this regard shall be prepared by the association which will have the following details.  <ul style="list-style-type: none"> <li>• Name of industry</li> <li>• Office address</li> <li>• Location of industry</li> <li>• Status of consent under water act along with order number.</li> <li>• Status of consent under air act along with order number.</li> <li>• Production capacity as per consent orders.</li> </ul> Total industrial effluent to CETP as per consent order.	Noted  Before giving membership to any industry, we take their CTE issued by GPCB.
XVII	The unit shall inform the SPCB at least a week prior to undertaking maintenance activities in the recycle system and store/dispose treated effluents under their advice in the matter.	Shall be Complied  We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.
XVIII	The unit shall also immediately inform the PCB of any breakdown in the recycling system, store the effluents in the interim period and dispose effluents only as advised by the PCB.	Shall be Complied  We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.
XIX	The unit shall maintain a robust system of conveyance for primary treated effluents from the member	Shall be Complied

	<p>units and constantly monitor the influent quality to the CETP. The management of the CETP and the individual member shall be jointly and severally responsible for conveyance and pretreatment of effluents. Only those units will be authorized to send their effluents to the CETP which have a valid consent of the PCB and which meet the primary treated standards as prescribed. The CETP operator shall with the consent of the SPCB retain the powers to delink the defaulter unit from entering the conveyance system.</p>	<p>The effluent is conveyed to CETP through dedicated tankers of CETP. We are complying the same for existing operation (i.e., 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.</p>
XX	<p>The CETP operator will maintain an annual register of member units which will contain the details of products with installed capacities and quality of effluents accepted for discharge. This will form a part of the initial and renewal applications for CTO to be made before the SPCB.</p>	<p>Noted</p>
XXI	<p>Any changes in the manufacturing process, installed capacity or the quality or quantity of effluents as agreed upon in the initial MOU between the operator and the member units, will only be done after an approval of the SPCB.</p>	<p>Noted and Shall be Complied</p> <p>We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.</p>
XXII	<p>The treated effluent from CETP shall be blended with treated sewage prior to its discharge in river.</p>	<p>Not Applicable</p> <p>In our existing as well as proposed system for 3.5 MLD effluent, sewage is mixed with effluent before the effluent enters biological (secondary) treatment process. The treated effluent is not blended with treated sewage. Also, our discharge is to FETP and not in river.</p>
XXIII	<p>Domestic water requirement is 0.675 KLD, which will be met through water tanker supply.</p>	<p>Shall be Complied</p> <p>We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.</p>

		In case of non-availability of water from GIDC (supplied through tankers), water from borewell is drawn. NOC from CGWA for withdrawal of ground water is received.																
XXIV	The quantity of hazardous waste i.e. ETP sludge to be generated from CETP facility shall be handled and disposed to nearby authorized TSDF site as per HWM Rules, 2016.	<p>Shall be Complied</p> <p>Unit is disposing sludge to Common TSDF –BEIL for their existing operation and will comply the same for proposed operation after implementation. Sludge disposal quantity for existing facility is under: (Apr.’2021 to Sep’2021). Noted for compliance as the 1.8 to 3.5 MLD effluent project is not yet implemented</p> <table border="1"> <thead> <tr> <th>Month</th> <th>Sludge Quantity (MT)</th> <th>Consented Qty. in MT/Year</th> </tr> </thead> <tbody> <tr> <td>Apr.-21</td> <td>4232.81</td> <td rowspan="6">36500</td> </tr> <tr> <td>May-21</td> <td>280.31</td> </tr> <tr> <td>June-21</td> <td>259.89</td> </tr> <tr> <td>July-21</td> <td>307.15</td> </tr> <tr> <td>Aug.-21</td> <td>192.59</td> </tr> <tr> <td>Sep.-21</td> <td>277.62</td> </tr> </tbody> </table> <p>Membership certificate of BEIL to send sludge attached as Annexure -1(B)</p>	Month	Sludge Quantity (MT)	Consented Qty. in MT/Year	Apr.-21	4232.81	36500	May-21	280.31	June-21	259.89	July-21	307.15	Aug.-21	192.59	Sep.-21	277.62
Month	Sludge Quantity (MT)	Consented Qty. in MT/Year																
Apr.-21	4232.81	36500																
May-21	280.31																	
June-21	259.89																	
July-21	307.15																	
Aug.-21	192.59																	
Sep.-21	277.62																	
XXV	Non-hazardous solid wastes and sludges arising out of the operation of the CETP shall be adequately disposed as per the consent to be availed from the SPCB. Non-hazardous solid wastes and sludges shall not be mixed with hazardous waste.	<p>Complied</p> <p>We are complying the same for existing operation (i.e., 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.</p>																
XXVI	The effluent from member units shall be transported through pipeline. In case the effluent is transported through road, it shall be transported through CETP tankers only duly maintaining proper manifest system. The vehicle shall be fitted with proper GPS system.	<p>Shall be Complied</p> <p>Currently also the effluent is transported through road by CETP tankers fitted with GPS.</p>																
XXVII	Before accepting any effluent from member units, the same shall be as permitted by the SPCB in the consent order. No effluent from any unit shall be accepted without consent from SPCB under the water Act, 1974 as amended.	<p>Shall be Complied</p> <p>We are complying the same for existing operation (i.e., 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.</p>																

XXVIII	The CETP shall have adequate power back up facility, to meet the energy requirement in case of power failure from the grid.	<p>Shall be Complied</p> <p>For existing operation, as power back ETL has installed D G Set of 1010 KVA for smooth operation during power failure. After implementation of the project an additional DG set of 1010 KVA shall be installed to meet the energy requirement in case of power failure.</p>																								
XXIX	All the recommendation of the EMP shall be complied with letter and spirit. All the mitigation measures submitted in the EIA report shall be prepared in a matrix format and the compliance for each mitigation plan shall be submitted to RO, MOEF and CC along with half yearly compliance report.	Shall be Complied																								
XXX	The project proponent shall set up separate environmental management cell for effective implementation of the stipulated environment safeguards under the supervision of a senior executive.	<p>Complied</p> <p>Details are as under:</p> <table border="1" data-bbox="735 1095 1481 1563"> <thead> <tr> <th data-bbox="735 1095 815 1189">Sr. No.</th> <th data-bbox="815 1095 1070 1189">Name of the employee</th> <th data-bbox="1070 1095 1262 1189">Designation</th> <th data-bbox="1262 1095 1481 1189">Educational Qualification</th> </tr> </thead> <tbody> <tr> <td data-bbox="735 1189 815 1227">1.</td> <td data-bbox="815 1189 1070 1227">Mr. B. D. Dalwadi</td> <td data-bbox="1070 1189 1262 1227">C.E.O.</td> <td data-bbox="1262 1189 1481 1227">B.E. Chemical</td> </tr> <tr> <td data-bbox="735 1227 815 1323">2.</td> <td data-bbox="815 1227 1070 1323">Mr. A. M. Darji</td> <td data-bbox="1070 1227 1262 1323">Unit Head</td> <td data-bbox="1262 1227 1481 1323">M.Sc.- Biochemistry, LL.B</td> </tr> <tr> <td data-bbox="735 1323 815 1429">3.</td> <td data-bbox="815 1323 1070 1429">Mr. Narendra B Patel</td> <td data-bbox="1070 1323 1262 1429">D.G.M</td> <td data-bbox="1262 1323 1481 1429">M. Sc &amp; PG Dip in Env. Mgt. &amp; Tech.</td> </tr> <tr> <td data-bbox="735 1429 815 1496">4.</td> <td data-bbox="815 1429 1070 1496">Ms. Rakshita Vyas</td> <td data-bbox="1070 1429 1262 1496">Sr. Manager (Env.)</td> <td data-bbox="1262 1429 1481 1496">M.Sc. Environment</td> </tr> <tr> <td data-bbox="735 1496 815 1563">5.</td> <td data-bbox="815 1496 1070 1563">Ms. Shital Rathod</td> <td data-bbox="1070 1496 1262 1563">Officer (Env.)</td> <td data-bbox="1262 1496 1481 1563">B.E. Environment</td> </tr> </tbody> </table>	Sr. No.	Name of the employee	Designation	Educational Qualification	1.	Mr. B. D. Dalwadi	C.E.O.	B.E. Chemical	2.	Mr. A. M. Darji	Unit Head	M.Sc.- Biochemistry, LL.B	3.	Mr. Narendra B Patel	D.G.M	M. Sc & PG Dip in Env. Mgt. & Tech.	4.	Ms. Rakshita Vyas	Sr. Manager (Env.)	M.Sc. Environment	5.	Ms. Shital Rathod	Officer (Env.)	B.E. Environment
Sr. No.	Name of the employee	Designation	Educational Qualification																							
1.	Mr. B. D. Dalwadi	C.E.O.	B.E. Chemical																							
2.	Mr. A. M. Darji	Unit Head	M.Sc.- Biochemistry, LL.B																							
3.	Mr. Narendra B Patel	D.G.M	M. Sc & PG Dip in Env. Mgt. & Tech.																							
4.	Ms. Rakshita Vyas	Sr. Manager (Env.)	M.Sc. Environment																							
5.	Ms. Shital Rathod	Officer (Env.)	B.E. Environment																							
XXXI	The funds earmarked for environment management plan shall be included in the budget and this shall not be diverted for any other purposes.	<p>Noted</p> <p>Approximately <b>2.0 lakhs</b> at construction stage &amp; <b>2.80 lakhs /annum</b> at operational stage.</p> <p>Our unit is a CETP and hence all the expenditure is for the purpose of environment protection measures.</p>																								
XXXII	Project proponent should develop green belt all along the periphery of the site with native plant species that	<p>Complied</p> <p>There is no addition of land for the proposed capacity.</p>																								

	are significant and used for the pollution abatement.	
XXXIII	The company shall draw up and implement corporate social responsibility plan as per the company act of 2013.	<p>Shall be Complied</p> <p>For the existing system, the company performs CSR as per the company act and after implementation of the project also the same shall be complied.</p>
XXXIV	As per the ministry's office memorandum F No. 22-65/2017-IA.III dated 1 <sup>st</sup> May 2018, and proposed by the project proponent, an amount of Rs. 19.35 Lakhs @ 1.0% of project cost shall be earmarked under corporate environment responsibility for the activities such as health, education, employability, and environment etc. the activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the RO as a part of half yearly compliance report, and to the district collector. It should be posted on the website of the project proponent.	Shall be complied.
XXXV	The project proponent shall also comply with the mechanism prescribed by the ministry vide letter No. Q*-16017/38/2018-CPA dated 24.10.2019 and O.M. F. No.22-23/2018-IA.III(pt.) dated 31.10.2019 for the instant project.	Noted



**B. STANDARD CONDITION:**  
**Statutory compliance:**

I.	The project proponent shall obtain forest clearance under the provisions of forest act,1980, in case of the diversion of forest land for non-forest purpose involved in the project.	Not Applicable
II.	The project proponent shall obtain clearance from the national board for wildlife, if applicable.	Not Applicable
III.	The project proponent shall prepare a site-specific conservation plan and wildlife management plan and approved by the chief wildlife warden. The recommendations of the approved site-specific conservation plan/wildlife management plan shall be implemented in consultation with the state forest department. The implementation report shall be furnished along with the six-monthly compliance report.	Not Applicable
IV.	The project proponent shall obtain CTE/CTO under the provision of air act,1981 and the water act,1974 from the concerned SPCB.	Shall be complied.  We have obtained CTE from SPCB. CTO shall be obtained on implementation of the project.
V.	The project proponent shall obtain the necessary permission from the central ground water authority, in case of drawl of ground water/from the competent authority concerned in case of drawl of surface water required for the project.	Complied  Currently, no ground water is utilized at site, water supply is from GIDC Notified Area Authority. Ground water is utilized only when GIDC cannot supply required water.
VI.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Shall be complied.  Power certificate for existing facility obtained and for proposed project, we shall obtain it.  Existing Certificate attached as Annexure-1(C)
VII.	All other statutory clearances such as the approvals for storage of diesel from chief controller of explosives, fire department, etc. shall be obtained, as applicable by project proponent from the respective competent authority.	Not applicable  No such clearances are required for our CETP, but if required in future, it shall be obtained.

**I. Air quality monitoring and preservation:**

I	The gaseous emission from DG set shall be dispersed through adequate stack height as per CPCB standards. Diesel generating sets shall be installed, in the downwind direction.	Complied
II	Appropriate air pollution control system shall be provided for fugitive dust from all vulnerable sources, so as to comply prescribed standards.	Noted

**II. Water quality monitoring and preservation:**

I	The project proponent shall install 24*7 continuous effluent monitoring system with respect to standards prescribed in environment rules 1986 as amended from time to time and connected to SPCB and CPCB online server and calibrate these system from time to time according to equipment supplier specification through labs recognized under environment act,1986 or NABL accredited laboratories.	Complied  We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.
---	--	---

II	Total freshwater use shall not exceed the proposed requirement as provided in the project details. Prior permission from competent authority shall be obtained for use of fresh water.	<p>Shall be complied.</p> <p>We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.</p>																					
III	There shall be flow meters at inlet and outlet of CETP to monitor the flow. Suitable meters shall be provided to measure the quantity of effluent received. Quantity of effluent recycled/reused and discharged.	<p>Complied</p> <p>Effluent is brought to CETP through tankers and these data are maintained. Flow meter is installed at the outlet.</p> <p>Details of effluent received in tankers and effluent discharged are attached below.</p> <table border="1" data-bbox="432 974 1204 1310"> <thead> <tr> <th>Month</th> <th>Average Inlet Effluent (MLD) (2.2 MLD Industrial Effluent)</th> <th>Final Discharge Quantity Along with 1.1 MLD sewage (Avg. MLD)</th> </tr> </thead> <tbody> <tr> <td>Apr.-21</td> <td>1.28</td> <td>2.00</td> </tr> <tr> <td>May-21</td> <td>1.22</td> <td>1.91</td> </tr> <tr> <td>June-21</td> <td>1.41</td> <td>2.35</td> </tr> <tr> <td>July-21</td> <td>1.42</td> <td>2.28</td> </tr> <tr> <td>Aug.-21</td> <td>1.14</td> <td>1.89</td> </tr> <tr> <td>Sep.-21</td> <td>1.40</td> <td>2.46</td> </tr> </tbody> </table> <p>Same system shall be followed after implementation of 3.5 MLD industrial effluent project.</p>	Month	Average Inlet Effluent (MLD) (2.2 MLD Industrial Effluent)	Final Discharge Quantity Along with 1.1 MLD sewage (Avg. MLD)	Apr.-21	1.28	2.00	May-21	1.22	1.91	June-21	1.41	2.35	July-21	1.42	2.28	Aug.-21	1.14	1.89	Sep.-21	1.40	2.46
Month	Average Inlet Effluent (MLD) (2.2 MLD Industrial Effluent)	Final Discharge Quantity Along with 1.1 MLD sewage (Avg. MLD)																					
Apr.-21	1.28	2.00																					
May-21	1.22	1.91																					
June-21	1.41	2.35																					
July-21	1.42	2.28																					
Aug.-21	1.14	1.89																					
Sep.-21	1.40	2.46																					
IV	The units and the CETP will maintain daily logbook of the quantity of discharge from the units. Quantity of inflow into the CETP. Details of the treatment at each stage of the CETP including the raw materials used, quantity	<p>Shall be complied.</p> <p>These data are maintained for the existing system and shall be maintained for the 3.5 MLD system.</p> <p>Details of effluent received and effluent discharged are attached below.</p> <table border="1" data-bbox="432 1601 1337 1937"> <thead> <tr> <th>Month</th> <th>Average Inlet Effluent (MLD) (2.2 MLD Industrial Effluent)</th> <th>Final Discharge Quantity Along with 1.1 MLD sewage (Avg. MLD)</th> </tr> </thead> <tbody> <tr> <td>Apr.-21</td> <td>1.28</td> <td>2.00</td> </tr> <tr> <td>May-21</td> <td>1.22</td> <td>1.91</td> </tr> <tr> <td>June-21</td> <td>1.41</td> <td>2.35</td> </tr> <tr> <td>July-21</td> <td>1.42</td> <td>2.28</td> </tr> <tr> <td>Aug.-21</td> <td>1.14</td> <td>1.89</td> </tr> <tr> <td>Sep.-21</td> <td>1.40</td> <td>2.46</td> </tr> </tbody> </table>	Month	Average Inlet Effluent (MLD) (2.2 MLD Industrial Effluent)	Final Discharge Quantity Along with 1.1 MLD sewage (Avg. MLD)	Apr.-21	1.28	2.00	May-21	1.22	1.91	June-21	1.41	2.35	July-21	1.42	2.28	Aug.-21	1.14	1.89	Sep.-21	1.40	2.46
Month	Average Inlet Effluent (MLD) (2.2 MLD Industrial Effluent)	Final Discharge Quantity Along with 1.1 MLD sewage (Avg. MLD)																					
Apr.-21	1.28	2.00																					
May-21	1.22	1.91																					
June-21	1.41	2.35																					
July-21	1.42	2.28																					
Aug.-21	1.14	1.89																					
Sep.-21	1.40	2.46																					

	<p>of the treated water proposed to be recycled, reuse within the industrial units, quantity of the treated effluent discharged. All the above information shall be provided on-line of the web site exclusively prepared for the purpose by the CETP owner. The website shall be accessible by the public. The financial and energy details of the CETP will also be provided along with details of the workers of the CETP.</p>	<p>Details of Raw Material consumption (Apr.'2021 to Sep.'2021) in Kgs.</p> <table border="1"> <thead> <tr> <th>Chemicals</th> <th>Apr. - 2021</th> <th>May – 2021</th> <th>June – 2021</th> <th>July – 2021</th> <th>Aug – 2021</th> <th>Sep. – 2021</th> </tr> </thead> <tbody> <tr> <td><b>Lime</b></td> <td>33833.9</td> <td>28496.8</td> <td>36556.77</td> <td>43081.31</td> <td>30865</td> <td>32811.5</td> </tr> <tr> <td><b>H<sub>2</sub>O<sub>2</sub></b></td> <td>280</td> <td>160</td> <td>43</td> <td>0</td> <td>0</td> <td>0</td> </tr> <tr> <td><b>FeSO<sub>4</sub> (solid)</b></td> <td>395</td> <td>345</td> <td>425</td> <td>450</td> <td>700</td> <td>555</td> </tr> <tr> <td><b>Polyelectrolyte</b></td> <td>194.27</td> <td>190.47</td> <td>185.7</td> <td>264.8</td> <td>184.7</td> <td>307.13</td> </tr> <tr> <td><b>De foaming Agent</b></td> <td>95</td> <td>75</td> <td>150</td> <td>300</td> <td>0</td> <td>0</td> </tr> <tr> <td><b>Fin Deform-18</b></td> <td>2870</td> <td>3680</td> <td>4845</td> <td>2975</td> <td>3140</td> <td>2760</td> </tr> <tr> <td><b>Phosphoric Acid</b></td> <td>5400</td> <td>2475</td> <td>1525</td> <td>1850</td> <td>450</td> <td>3300</td> </tr> <tr> <td><b>Poly Aluminum Chloride (PAC)</b></td> <td>585</td> <td>535</td> <td>610</td> <td>585</td> <td>290</td> <td>500</td> </tr> <tr> <td><b>Sodium Tripolyphosphate (STTP)</b></td> <td>167</td> <td>164</td> <td>151</td> <td>166</td> <td>116</td> <td>141</td> </tr> <tr> <td><b>MgCl<sub>2</sub></b></td> <td>3202</td> <td>1407</td> <td>1358</td> <td>1090</td> <td>971</td> <td>2010</td> </tr> <tr> <td><b>Na<sub>2</sub>HPO<sub>4</sub></b></td> <td>0</td> <td>0</td> <td>1070</td> <td>730</td> <td>0</td> <td>0</td> </tr> <tr> <td><b>Caustic Soda (NaOH)</b></td> <td>13194.94</td> <td>8789</td> <td>10475.12</td> <td>12075.41</td> <td>5804.68</td> <td>6930.14</td> </tr> </tbody> </table>	Chemicals	Apr. - 2021	May – 2021	June – 2021	July – 2021	Aug – 2021	Sep. – 2021	<b>Lime</b>	33833.9	28496.8	36556.77	43081.31	30865	32811.5	<b>H<sub>2</sub>O<sub>2</sub></b>	280	160	43	0	0	0	<b>FeSO<sub>4</sub> (solid)</b>	395	345	425	450	700	555	<b>Polyelectrolyte</b>	194.27	190.47	185.7	264.8	184.7	307.13	<b>De foaming Agent</b>	95	75	150	300	0	0	<b>Fin Deform-18</b>	2870	3680	4845	2975	3140	2760	<b>Phosphoric Acid</b>	5400	2475	1525	1850	450	3300	<b>Poly Aluminum Chloride (PAC)</b>	585	535	610	585	290	500	<b>Sodium Tripolyphosphate (STTP)</b>	167	164	151	166	116	141	<b>MgCl<sub>2</sub></b>	3202	1407	1358	1090	971	2010	<b>Na<sub>2</sub>HPO<sub>4</sub></b>	0	0	1070	730	0	0	<b>Caustic Soda (NaOH)</b>	13194.94	8789	10475.12	12075.41	5804.68	6930.14
Chemicals	Apr. - 2021	May – 2021	June – 2021	July – 2021	Aug – 2021	Sep. – 2021																																																																																							
<b>Lime</b>	33833.9	28496.8	36556.77	43081.31	30865	32811.5																																																																																							
<b>H<sub>2</sub>O<sub>2</sub></b>	280	160	43	0	0	0																																																																																							
<b>FeSO<sub>4</sub> (solid)</b>	395	345	425	450	700	555																																																																																							
<b>Polyelectrolyte</b>	194.27	190.47	185.7	264.8	184.7	307.13																																																																																							
<b>De foaming Agent</b>	95	75	150	300	0	0																																																																																							
<b>Fin Deform-18</b>	2870	3680	4845	2975	3140	2760																																																																																							
<b>Phosphoric Acid</b>	5400	2475	1525	1850	450	3300																																																																																							
<b>Poly Aluminum Chloride (PAC)</b>	585	535	610	585	290	500																																																																																							
<b>Sodium Tripolyphosphate (STTP)</b>	167	164	151	166	116	141																																																																																							
<b>MgCl<sub>2</sub></b>	3202	1407	1358	1090	971	2010																																																																																							
<b>Na<sub>2</sub>HPO<sub>4</sub></b>	0	0	1070	730	0	0																																																																																							
<b>Caustic Soda (NaOH)</b>	13194.94	8789	10475.12	12075.41	5804.68	6930.14																																																																																							
V	<p>The CETP operator will maintain an annual register of member units which will contain the details of products with installed capacities and quality and quantity of effluents accepted for discharged. This will form a part</p>	<p>Noted</p>																																																																																											

	of the initial and renewal applications for consent to operate to be made before the SPCB.	
VI	No changes in installed capacity, quantity or quality of effluents as agreed upon in the initial MOU between the operator and the member units, addition of any new member units shall be carried without prior approval of ministry.	Noted
VII	The unit shall inform the SPCB at least a week prior to undertaking maintenance activities in the recycle system and store treated effluents under their advice in the matter.	<p>Shall be complied.</p> <p>We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.</p>
VIII	The unit shall also immediately inform the PCB of any breakdown in the recycling system, store the effluents in	<p>Shall be complied.</p> <p>We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.</p>

	the interim period and dispose effluents only as advised by the PCB.	
IX	The MOU between CETP and member units shall indicate the maximum quantity of effluent to be sent to the CETP along with the quality.	Complied  We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.
X	The unit shall maintain a robust system of conveyance for primary treated effluents from the member units and constantly monitor the influent quality to the CETP. The management of the CETP and the individual member shall be jointly and severally responsible for conveyance and pre-treatment of effluents to the CETP which have a valid consent of the PCB and which meet the primary treated	Noted

	standards as prescribed. the CETP operator shall with the consent of the SPCB retain the powers to delink the defaulter unit from entering the conveyance system.	
XI	The effluent from member units shall be transported through pipeline. In case the effluent is transported through road, it shall be transported through CETP tankers only duly maintaining proper manifest system. The vehicles shall be fitted with proper GPS system.	Shall be Complied Currently also the effluent is transported through road by CETP tankers fitted with GPS.
XII	Before accepting any effluent from member units, the same shall be as permitted by the SPCB in the consent order. No effluent from any unit shall be accepted without consent	Shall be Complied We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.

	from SPCB under the Water Act, 1974 as amended.	
XIII	Treated water shall be disposed on land for irrigation. An irrigation management plan shall be drawn up in consultation with and to the satisfaction of the SPCB.	Not Applicable
XIV	The project proponents will build operate and maintain the collection and conveyance system to transport effluents from the industrial units in consultation with and to the satisfaction of the SPCB and ensure that the industrial units meet the primary effluent standards prescribed by the SPCB.	Complied  The conveyance of transporting effluent from member units to CETP is done through tankers, which is agreed by SPCB.
XV	The SPCB will also evaluate the treatment efficiency of the effluent treatment plant	Not Applicable.  Applicable to SPCB.



	and its capability of meeting the prescribed standards. The final scheme of treatment would be such as is approved by the PCB in the CTE.	
XVI	The project proponents will create an institutional arrangement for the involvement of individual members in the management of the CETP.	Noted. In the board of Directors of company, two representatives are included.

### III. Noise monitoring and preservation:

I	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to regional officer of the ministry as a part of six-monthly compliance report.	Complied				
		We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.				
		SR.NO.	DATE	LOCATION	DAY TIME	NIGHT TIME
					NOISE MONITORING	NOISE MONITORING
					AT 12.00 Hrs.	AT 10.00 Hrs.
					LIMIT 75 dba	LIMIT 70 dba
		1	18.04.2021	Near Main Gate	69	49
		2		Near Decanter	69	55
		3		Near Aeration	70	59
		4		Near DG Room	71	71
		5	15.05.2021	Near Main Gate	61.45	42.83
		6		Near Decanter	64.27	57.32
		7		Near DG Room	70.51	68.46
		8		Near Final Discharge	57.26	53.75
9	13.06.2021	Near Main Gate	62.42	46.77		
10		Near Decanter	69.53	55.22		
11		Near DG Room	69.44	64.66		
12		Near Final Discharge	53.48	46.82		

		13	15.07.2021	Near Main Gate	52.7	46.3
		14		Near Decanter	65.3	49.8
		15		Near DG Room	72.2	68.9
		16		Near Final Discharge	58.9	46.8
		17	13.08.2021	Near Main Gate	40.6	37.5
		18		Near Decanter	51.2	46.3
		19		Near DG Room	60.4	62.8
		20		Near Final Discharge	47.1	44.2
		21	13.09.2021	Near Main Gate	67.4	46.4
		22		Near Decanter	66.7	51.6
		23		Near DG Room	71.5	66.4
		24		Near Final Discharge	57.6	47.6
II	Noise from vehicles, power machinery and equipment should be regularly serviced. Attention should also be given to muffler maintenance and enclosure of noisy equipment's.	Complied We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.				
III	Acoustic enclosures for DG set, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	Complied We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.				

#### IV. Waste management:

I	ETP sludge generated from CETP facility shall be handled and disposed to nearby authorized TSDF site as per hazardous and other wastes rules,2016.	Complied.  Unit is disposing sludge to Common TSDF –BEIL for their existing operation and will comply the same for proposed operation after implementation. Sludge disposal quantity for existing facility is under: (Apr.'2021 to Sep.'2021. Noted for compliance as the 1.8 to 3.5 MLD effluent project is not yet implemented
---	--	--

		Month	Sludge Quantity (MT)	Consented Qty. in MT/Year
		Apr.-21	4232.81	36500
		May-21	280.31	
		June-21	259.89	
		July-21	307.15	
		Aug.-21	192.59	
		Sep.-21	277.62	
		Membership certificate of BEIL to send sludge attached as Annexure -1(B)		
II	Non-hazardous solid wastes and sludge arising out of the operation of the CETP shall be adequately disposed as per the consent to be availed from the state pollution control board. Non-hazardous solid waste and sludge shall not be mixed with hazardous wastes.	Complied  We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.		
III	The CETP shall have adequate power back up facility, to meet the energy requirement in case of power failure from the grid.	Shall be Complied  For existing operation, as power back ETL has installed D G Set of 1010 KVA for smooth operation during power failure. After implementation of the project an additional DG set of 1010 KVA shall be installed to meet the energy requirement in case of power failure.		
IV	The site for aerobic composting shall be selected and developed in consultation with and to the satisfaction of the SPCB. Odor and inspect nuisance shall be adequately controlled.	Not applicable		
V	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the construction and demolition waste, management rules,2016.	Noted		
VI	The solid wastes shall be segregated, managed, and disposed as per the norms of the solid waste management rules,2016.	Noted		

**V. Energy conservation measures:**

I	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, streetlights, parking around project area and maintain the same regularly.	Noted  We are working out the viability.
II	Provide LED lights in their offices and residential areas.	Complied  We are complying the same for existing operation (i.e. 2.2 MLD industrial effluent) and will comply the same after implementation of 3.5 MLD industrial effluent project.

**VI. Green belt:**

I	Green belt shall be developed in area as provided in project details, with native tree green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.	Shall be complied.  There is no increase in land area for the proposed 3.5 MLD project, therefore green belt will remain the same. Currently 18% is the green belt area.  Plant Layout attached as Annexure-1(D)
---	---	---

**VIII. Public hearing and human health issues:**

I	Emergency preparedness plan based on the hazard identification and risk assessment and disaster management plan shall be implemented.	Noted
II	Adequate infrastructure, including power, shall be provided for emergency situations and disaster management.	Complied  Adequate firefighting system is installed at site  For existing operation, as power back ETL has installed D G Set of 1010 KVA for smooth operation during power failure. After implementation of the project an additional DG set of 1010 KVA shall be installed to meet the energy requirement in case of power failure.
III	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe	Noted

	drinking water, medical health care, creche etc. the housing may be in the form of temporary structures to be removed after the completion of the project.	
IV	Occupational health surveillance of the workers shall be done on a regular basis.	Complied  Health surveillance of workers is carried out annually.

**IX. Corporate Environment Responsibility:**

I	The company shall have a well laid down environmental policy duly approve by the board of directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/ condition. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and/or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.	Shall be complied.
II	A separate Environmental cell both at the project and company head quarter level with qualified personal shall be set up under the control of senior executive, who will directly to the head of the organization.	Complied
III	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the ministry/regional office along with six monthly compliance report.	Noted for compliance.  Our unit is a CETP and hence all the expenditure is for the purpose of environment protection measures.
IV	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	Complied.  An environment audit is carried out by a third party every year. The third party (Schedule – I) auditors are appointed by GPCB.

**X. Miscellaneous:**

II	The project proponent shall prominently advertise it at least in two local newspapers of the district or state, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed.	Complied  Having received the EC on 26 <sup>th</sup> December, we have advertised in two local newspaper (Times of India and Divya Bhaskar) on date 01 <sup>st</sup> January 2020 & 31 <sup>st</sup> December 2019 informing that the “project has been accorded EC”. Copy is attached as Annexure - 1 (E)
III	The copies of the environmental clearance shall be submitted by the project proponents to the heads of local bodies, panchayats and municipal bodies in addition to the relevant offices of the government who in turn has to display the same for 30 days from the date of receipts.	Complied  We have submitted the copy of EC to concerned panchayat, Zilla Parisad/municipal Corporation, Urban Local body, and the local NGO Acknowledgement sheet attached as Annexure-1 (F)
III	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half yearly basis.	Shall be complied.
IV	The project proponent shall submit six-monthly reports on the status of the compliance of stipulated environmental conditions on the website of the ministry of Environmental, Forest and Climate change at environmental clearance portal.	Complied
V	The project proponent shall submit the environmental statement for each financial year in Form-5 to the concerned state pollution control board as prescribed under the environment rules, 1986, as amended subsequently and put on the website of the company.	Complied  Copy of Environmental statement for the year of 2020-21 is attached as Annexure – (G)
VI	The criteria pollutant levels or critical sectoral parameters indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	We are displaying information outside gate
VII	The project proponent shall inform the Regional office as well as the ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of operation by the project.	Shall be complied.
VIII	The project authorities must strictly adhere to the stipulations made by the state pollution control board and the state government.	Noted

IX	The project proponent shall abide by all commitments and recommendations made in the EIA/EMP report, commitment made during public hearing and also that during their presentation to the expert appraisal committee.	Noted
X	No further expansion or modifications in the plant shall be carried out without prior approval of the ministry of environment, forest, and climate change.	Noted
XI	Concealing factual data or submission of false/fabricated data may result in revocation of this environment clearance and attract under the provisions of environment act 1986.	Noted
XII	The ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted
XIII	The ministry reserves the right to stipulate additional conditions if found necessary. The company in a time bound manner shall implement these conditions.	Noted
XI V	The regional office of the ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer of the regional office by furnishing the requisite data/information/monitoring reports.	Noted
XV	The above conditions shall be enforced, inter-alia under the provisions of the water(prevention & control of pollution) Act, 1974, the Air ( prevention & control of pollution) Act, 1981, the Environment (protection) Act, 1986, Hazardous and other wastes (Management and transboundary movement)Rules, 2016 and the public liability insurance Act,1991 along with their amendments and rules and any other order passed by the Hon'ble supreme Court of India/High courts and any other court of Law relating the subject matter.	Noted
XVI	Any appeal against this EC shall lie with the national green tribunal, if preferred within a period of 30 days as prescribed under section 16 of the national green tribunal act 2010.	Noted

6. This issues with the approval of the Competent authority. - Noted

# Shroff S.R. Rotary Institute of Chemical Technology



Principal Supporter & Sponsor-UPL Ltd. & Shroff family  
 Managed by Ankleshwar Rotary Education Society  
 Approved by AICTE, New Delhi, Govt. of Gujarat & Affiliated to GTU



## Test Report

Customer Name & Address: M/s. Enviro Technology Ltd. Plot no. 2413/14 GIDC Estate, Ankleshwar Dist: Bharuch	Report No :SRICT/EAUDIT/20210415/A1 Issue Date: 15/04/2021 Contact person:- Mr. Narendra Patel
---	--

Sample Id Code	: SRICT/20200522/A01		
Sample Description	: ETL F/O		
Date of sampling	: 03/04/2021	Sample received	: SRICT Audit Team
Date of sample received	: 03/04/2021	Test parameter	: As mentioned in CCA
Date of starting Analysis	: 06/04/2021	Quantity of Sample	: 2 Lit.
Date of completion Analysis	: 12/04/2021	Packed/Seal	: Packed
No. Of Samples	: 01		

## RESULTS

Sr No	Parameter	Unit	Result	Permissible Limit	Method
1	pH	--	7.5	6.5 to 8.5	IS:3025(P-11)83Re.02
2	Temperature	°C	30	40	APHA (23rd Ed) 2500
3	Colour (co pt scale)	Pt/Co	12760	100	APHA 23rd Edition 2120C
4	Total Suspended solids (TSS)	mg/l	62	150	IS:3025(P-17)84.Re.2012
5	Total Dissolved Solid (TDS)	mg/l	17794	10000	IS:3025(P-16)84.Re.06
6	BOD	mg/l	12	200	BIS:3025(P-44),1993
7	COD	mg/l	794	1000	IS:3025(P-58)2006
8	Oil & Grease	mg/l	1.9	10	APHA (23rd Ed)5220-D
9	Phenolic compound	mg/l	0.07	5	APHA, 5530-D, 5-49 to 5-50, 22nd Ed. 2017
10	Sulphide	mg/l	BDL	5	APHA(23rd Ed)4500-s-2
11	Ammonical Nitrogen	mg/l	46	50	IS:3025(P-34)1988 Re-03
12	Total Kjeldahl Nitrogen	mg/l	48	50	APHA-4500-Norg-B
13	Phosphate	mg/l	4.01	5	APHA-4500-P. C
14	Chlorides as Cl	mg/l	7861	1000	IS: 3025(P-32)1988Re-2007
15	Sulphate as SO <sub>4</sub>	mg/l	2054	1000	APHA 23rd Ed 4500 SO42- E
16	Cynide	mg/l	BDL	0.2	APHA(23 <sup>rd</sup> Ed )4500-D





Principal Supporter & Sponsor-UPL Ltd. & Shroff family

Managed by Ankleshwar Rotary Education Society


Approved by AICTE, New Delhi, Govt. of Gujarat & Affiliated to GTU




17	Flouride	mg/l	0.59	15	APHA 4500-F- D, 4-87 TO 4-88, 23rd Ed.2017
18	Hexavalent Chromium	mg/l	BDL	0.1	APHA(23rd Ed) 3500Cr-B
19	Total Chromium	mg/l	0.1	2	AAS- APHA(23rdEd)3111-B
20	Copper	mg/l	0.7	3	APHA 3111-CU-B
21	Nickel	mg/l	BDL	3	AAS-APHA(23rd Ed)3111-B
22	Zinc	mg/l	1.1	15	AAS-APHA(23rd Ed)3111-B
23	Iron	mg/l	1.18	3	APHA-3500-Fe.B
24	Manganese	mg/l	BDL	2	APHA-3500-Mn .B
25	Mercury	mg/l	BDL	0.01	APHA-3111-HG-B
26	Lead	mg/l	BDL	0.1	AAS-APHA(23rd Ed)3111-B
27	Arsenic	mg/l	BDL	0.2	APHA 3111-AS-B
28	Vanadium	mg/l	BDL	0.2	APHA-3500-V.B
29	Cadmium	mg/l	BDL	0.05	IS 3025 ( Part 41 ) : 1992
30	Selenium	mg/l	BDL	0.05	APHA-3500-Se.C
31	Insecticide/Pesticides	--	Absent	Absent	Pesticides &Insecticides Ref. USEPA 608,525.2

END OF REPORT

  
Prepared by

  
Checked by

  
Verified by

### Terms and conditions governing the test report issued

- 1.The results are applicable only to the given samples.
- 2.The test report shall not be reproduced in full or part without the written approval of the SRICT Environmental Laboratory.
- 3.The test report in full or part shall not be used for promotional or publicity purpose without the written consent of SRICT Environmental Laboratory.
4. Water/Waste water samples shall be stored for the period of one month after the date of issue of Report.



# Shroff S.R. Rotary Institute of Chemical Technology



Principal Supporter & Sponsor-UPL Ltd. & Shroff family  
 Managed by Ankleshwar Rotary Education Society  
 Approved by AICTE, New Delhi, Govt. of Gujarat & Affiliated to GTU



## Test Report

<b>Customer Name &amp; Address:</b> M/s. Enviro Technology Ltd. Plot no. 2413/14 GIDC Estate, Ankleshwar Dist: Bharuch	<b>Report No :</b> SRICT/EAUDIT/20210605/A1  <b>Issue Date:</b> 05/06/2021  <b>Contact person:-</b> Mr. Narendra Patel
--	--

Sample Id Code	:	SRICT/20210526/A01			
Sample Description	:	ETL F/O			
Date of sampling	:	26/05/2021	Sample received	:	SRICT Audit Team
Date of sample received	:	26/05/2021	Test parameter	:	As mentioned in CCA
Date of starting Analysis	:	27/05/2021	Quantity of Sample	:	2 Lit.
Date of completion Analysis	:	03/06/2021	Packed/Seal	:	Packed
No. Of Samples	:	01			

## RESULTS

Sr No	Parameter	Unit	Result	Permissible Limit	Method
1	pH	--	7.2	6.5 to 8.5	IS:3025(P-11)83Re.02
2	Temperature	°C	31	40	APHA (23rd Ed) 2500
3	Colour (co pt scale)	Pt/Co	12456.4	100	APHA 23rd Edition 2120C
4	Total Suspended solids (TSS)	mg/l	65.4	150	IS:3025(P-17)84.Re.2012
5	Total Dissolved Solid (TDS)	mg/l	17286	10000	IS:3025(P-16)84.Re.06
6	BOD	mg/l	14.2	200	BIS:3025(P-44),1993
7	COD	mg/l	737	1000	IS:3025(P-58)2006
8	Oil & Grease	mg/l	1.5	10	APHA (23rd Ed)5220-D
9	Phenolic compound	mg/l	0.07	5	APHA, 5530-D, 5-49 to 5-50, 22nd Ed. 2017
10	Sulphide	mg/l	BDL	5	APHA(23rd Ed)4500-s-2
11	Ammonical Nitrogen	mg/l	42	50	IS:3025(P-34)1988 Re-03
12	Total Kjeldahl Nitrogen	mg/l	44	50	APHA-4500-Norg-B
13	Phosphate	mg/l	3.99	5	APHA-4500-P. C
14	Chlorides as Cl	mg/l	7760	1000	IS: 3025(P-32)1988Re-2007
15	Sulphate as SO <sub>4</sub>	mg/l	1986	1000	APHA 23rd Ed 4500 SO42- E
16	Cynide	mg/l	BDL	0.2	APHA(23 <sup>rd</sup> Ed )4500-D

Page 1 of 2



# Shroff S.R. Rotary Institute of Chemical Technology



Principal Supporter & Sponsor-UPL Ltd. & Shroff family  
Managed by Ankleshwar Rotary Education Society  
Approved by AICTE, New Delhi, Govt. of Gujarat & Affiliated to GTU



17	Flourides	mg/l	0.45	15	APHA 4500-F- D, 4-87 TO 4-88. 23rd Ed.2017
18	Hexavalent Chromium	mg/l	BDL	0.1	APIIA(23rd Ed) 3500Cr-B
19	Total Chromium	mg/l	0.09	2	AAS- APHA(23rdEd)3111-B
20	Copper	mg/l	0.8	3	APHA 3111-CU-B
21	Nickel	mg/l	BDL	3	AAS-APHA(23rd Ed)3111-B
22	Zinc	mg/l	1.1	15	AAS-APHA(23rd Ed)3111-B
23	Iron	mg/l	1.07	3	APHA-3500-Fe.B
24	Manganese	mg/l	BDL	2	APHA-3500-Mn .B
25	Mercury	mg/l	BDL	0.01	APHA-3111-HG-B
26	Lead	mg/l	BDL	0.1	AAS-APHA(23rd Ed)3111-B
27	Arsenic	mg/l	BDL	0.2	APHA 3111-AS-B
28	Vanadium	mg/l	BDL	0.2	APHA-3500-V.B
29	Cadmium	mg/l	BDL	0.05	IS 3025 ( Part 41 ) : 1992
30	Selenium	mg/l	BDL	0.05	APHA-3500-Se.C
31	Insecticide/Pesticides	--	Absent	Absent	Pesticides &Insecticides Ref. USEPA 608.525.2

END OF REPORT

Prepared by

Checked by

Verified by

## Terms and conditions governing the test report issued

- 1.The results are applicable only to the given samples.
- 2.The test report shall not be reproduced in full or part without the written approval of the SRICT Environmental Laboratory.
- 3.The test report in full or part shall not be used for promotional or publicity purpose without the written consent of SRICT Environmental Laboratory.
- 4.Water/Waste water samples shall be stored for the period of one month after the date of issue of Report.



# Shroff S.R. Rotary Institute of Chemical Technology



Principal Supporter & Sponsor-UPL Ltd. & Shroff family  
Managed by Ankleshwar Rotary Education Society  
Approved by AICTE, New Delhi, Govt. of Gujarat & Affiliated to GTU



## Test Report

Customer Name & Address: M/s. Enviro Technology Ltd. Plot no. 2413/14 GIDC Estate, Ankleshwar Dist: Bharuch	Report No :SRICT/EAUDIT/20210621/A1  Issue Date: 21/06/2021  Contact person:- Mr. Narendra Patel
---	--

Sample Id Code	:	SRICT/20210601/A01			
Sample Description	:	ETL F/O			
Date of sampling	:	01/06/2021	Sample received By	:	SRICT Audit Team
Date of sample received	:	01/06/2021	Test parameter	:	As mentioned in CCA
Date of starting Analysis	:	03/06/2021	Quantity of Sample	:	2 Lit.
Date of completion Analysis	:	09/06/2021	Packed/Seal	:	Packed
No. Of Samples	:	01			

## RESULTS

Sr No	Parameter	Unit	Result	Permissible Limit	Method
1	pH	--	7.42	6.5 to 8.5	IS:3025(P-11)83Re.02
2	Temperature	°C	31	40	APHA (23rd Ed) 2500
3	Colour (co.pt scale)	Pt/Co	13008	100	APHA 23rd Edition 2120C
4	Total Suspended solids (TSS)	mg/l	67.5	150	IS:3025(P-17)84.Re.2012
5	Total Dissolved Solid (TDS)	mg/l	15992	10000	IS:3025(P-16)84.Re.06
6	BOD	mg/l	20.2	200	BIS:3025(P-44),1993
7	COD	mg/l	883.4	1000	IS:3025(P-58)2006
8	Oil & Grease	mg/l	1.8	10	APHA (23rd Ed)5220-D
9	Phenolic compound	mg/l	0.29	5	APHA, 5530-D, 5-49 to 5-50, 22nd Ed. 2017
10	Sulphide	mg/l	BDL	5	APHA(23rd Ed)4500-s-2
11	Ammonical Nitrogen	mg/l	37.5	50	IS:3025(P-34)1988 Re-03
12	Total Kjeldahl Nitrogen	mg/l	44.6	50	APHA-4500-Norg-B
13	Phosphate	mg/l	3.2	5	APHA-4500-P. C



# Shroff S.R. Rotary Institute of Chemical Technology

Principal Supporter & Sponsor-UPL Ltd. & Shroff family

Managed by Ankleshwar Rotary Education Society

Approved by AICTE, New Delhi, Govt. of Gujarat & Affiliated to GTU



14	Chlorides as Cl	mg/l	7406	1000	IS: 3025(P-32)1988Re-2007
15	Sulphate as SO <sub>4</sub>	mg/l	2266	1000	APHA 23rd Ed 4500 SO42- E
16	Cynide	mg/l	BDL	0.2	APHA(23rd Ed )4500-D
17	Flourides	mg/l	0.52	15	APHA 4500-F- D, 4-87 TO 4-88, 23rd Ed.2017
18	Hexavalent Chromium	mg/l	BDL	0.1	APHA(23rd Ed) 3500Cr-B
19	Total Chromium	mg/l	0.2	2	AAS- APHA(23rdEd)3111-B
20	Copper	mg/l	0.68	3	APHA 3111-CU-B
21	Nickel	mg/l	BDL	3	AAS-APHA(23rd Ed)3111-B
22	Zinc	mg/l	1.2	15	AAS-APHA(23rd Ed)3111-B
23	Iron	mg/l	1.31	3	APHA-3500-Fe.B
24	Manganese	mg/l	BDL	2	APHA-3500-Mn .B
25	Mercury	mg/l	BDL	0.01	APHA-3111-HG-B
26	Lead	mg/l	BDL	0.1	AAS-APHA(23rd Ed)3111-B
27	Arsenic	mg/l	BDL	0.2	APHA 3111-AS-B
28	Vanadium	mg/l	BDL	0.2	APHA-3500-V.B
29	Cadmium	mg/l	BDL	0.05	IS 3025 ( Part 41 ) : 1992
30	Selenium	mg/l	BDL	0.05	APHA-3500-Se.C
31	Insecticide/Pesticides	--	Absent	Absent	Pesticides &Insecticides Ref. USEPA 608,525.2

END OF REPORT



Prepared by



Checked by



Verified by

## Terms and conditions governing the test report issued

- 1.The results are applicable only to the given samples.
- 2.The test report shall not be reproduced in full or part without the written approval of the SRICT Environmental Laboratory.
- 3.The test report in full or part shall not be used for promotional or publicity purpose without the written consent of SRICT Environmental Laboratory.
- 4.Water/Waste water samples shall be stored for the period of one month after the date of issue of Report.



# Shroff S.R. Rotary Institute of Chemical Technology



Principal Supporter & Sponsor-UPL Ltd. & Shroff family

Managed by Ankleshwar Rotary Education Society

Approved by AICTE, New Delhi, Govt. of Gujarat & Affiliated to GTU



## Test Report

<b>Customer Name &amp; Address:</b> M/s. Enviro Technology Ltd. Plot no. 2413/14 GIDC Estate, Ankleshwar Dist: Bharuch	<b>Report No :</b> SRICT/EAUDIT/20210717/A1 <b>Issue Date:</b> 17/07/2021 <b>Contact person:-</b> Mr. Narendra Patel
--	--

Sample Id Code	:	SRICT/20210707/A01			
Sample Description	:	ETL F/O			
Date of sampling	:	07/07/2021	Sample received By	:	SRICT Audit Team
Date of sample received	:	07/07/2021	Test parameter	:	As mentioned in CCA
Date of starting Analysis	:	09/07/2021	Quantity of Sample	:	2 Lit.
Date of completion Analysis	:	14/07/2021	Packed/Seal	:	Packed
No. Of Samples	:	01			

## RESULTS

Sr No	Parameter	Unit	Result	Permissible Limit	Method
1	pH	--	7.76	6.5 to 8.5	IS:3025(P-11)83Re.02
2	Temperature	°C	29	40	APHA (23rd Ed) 2500
3	Colour (co pt scale)	Pt/Co	12750	100	APHA 23rd Edition 2120C
4	Total Suspended solids (TSS)	mg/l	62.8	150	IS:3025(P-17)84.Re.2012
5	Total Dissolved Solid (TDS)	mg/l	17731	10000	IS:3025(P-16)84.Re.06
6	BOD	mg/l	20	200	BIS:3025(P-44).1993
7	COD	mg/l	882	1000	IS:3025(P-58)2006
8	Oil & Grease	mg/l	1.9	10	APHA (23rd Ed)5220-D
9	Phenolic compound	mg/l	0.10	5	APHA, 5530-D, 5-49 to 5-50, 22nd Ed. 2017
10	Sulphide	mg/l	BDL	5	APHA(23rd Ed)4500-s-2
11	Ammonical Nitrogen	mg/l	40.6	50	IS:3025(P-34)1988 Re-03
12	Total Kjeldahl Nitrogen	mg/l	46	50	APHA-4500-Norg-B
13	Phosphate	mg/l	3.9	5	APHA-4500-P, C
14	Chlorides as Cl	mg/l	7880	1000	IS: 3025(P-32)1988Re-2007



# Shroff S.R. Rotary Institute of Chemical Technology



Principal Supporter & Sponsor-UPL Ltd. & Shroff family  
Managed by Ankleshwar Rotary Education Society  
Approved by AICTE, New Delhi, Govt. of Gujarat & Affiliated to GTU




15	Sulphate as SO <sub>4</sub>	mg/l	2012	1000	APHA 23rd Ed 4500 SO42- E
16	Cynide	mg/l	BDL	0.2	APHA(23 <sup>rd</sup> Ed )4500-D
17	Flourides	mg/l	0.58	15	APHA 4500-F- D. 4-87 TO 4-88. 23rd Ed.2017
18	Hexavalent Chromium	mg/l	BDL	0.1	APHA(23rd Ed) 3500Cr-B
19	Total Chromium	mg/l	0.10	2	AAS- APHA(23rdEd)3111-B
20	Copper	mg/l	0.90	3	APHA 3111-CU-B
21	Nickel	mg/l	BDL	3	AAS-APHA(23rd Ed)3111-B
22	Zinc	mg/l	1.0	15	AAS-APHA(23rd Ed)3111-B
23	Iron	mg/l	1.05	3	APHA-3500-Fe.B
24	Manganese	mg/l	BDL	2	APHA-3500-Mn .B
25	Mercury	mg/l	BDL	0.01	APHA-3111-HG-B
26	Lead	mg/l	BDL	0.1	AAS-APHA(23rd Ed)3111-B
27	Arsenic	mg/l	BDL	0.2	APHA 3111-AS-B
28	Vanadium	mg/l	BDL	0.2	APHA-3500-V.B
29	Cadmium	mg/l	BDL	0.05	IS 3025 ( Part 41 ) : 1992
30	Selenium	mg/l	BDL	0.05	APHA-3500-Se.C
31	Insecticide/Pesticides	--	Absent	Absent	Pesticides &Insecticides Ref. USEPA 608.525.2

END OF REPORT

  
Prepared by

  
Checked by

  
Verified by

## Terms and conditions governing the test report issued

1. The results are applicable only to the given samples.
2. The test report shall not be reproduced in full or part without the written approval of the SRICT Environmental Laboratory.
3. The test report in full or part shall not be used for promotional or publicity purpose without the written consent of SRICT Environmental Laboratory.
4. Water/Waste water samples shall be stored for the period of one month after the date of issue of Report.



# Shroff S.R. Rotary Institute of Chemical Technology



Principal Supporter & Sponsor-UPL Ltd. & Shroff family

Managed by Ankleshwar Rotary Education Society

Approved by AICTE, New Delhi, Govt. of Gujarat & Affiliated to GTU



## Test Report

<b>Customer Name &amp; Address:</b> M/s. Enviro Technology Ltd. Plot no. 2413/14 GIDC Estate, Ankleshwar Dist: Bharuch	<b>Report No :</b> SRICT/EAUDIT/20210818/A1 <b>Issue Date:</b> 18/08/2021 <b>Contact person:-</b> Mr. Narendra Patel
--	--

Sample Id Code	:	SRICT/20210808/A01			
Sample Description	:	ETL F/O			
Date of sampling	:	08/08/2021	Sample received By	:	SRICT Audit Team
Date of sample received	:	08/08/2021	Test parameter	:	As mentioned in CCA
Date of starting Analysis	:	09/08/2021	Quantity of Sample	:	2 Lit.
Date of completion Analysis	:	15/08/2021	Packed/Seal	:	Packed
No. Of Samples	:	01			

## RESULTS

Sr No	Parameter	Unit	Result	Permissible Limit	Method
1	pH	--	7.61	6.5 to 8.5	IS:3025(P-11)83Re.02
2	Temperature	°C	29	40	APHA (23rd Ed) 2500
3	Colour (co pt scale)	Pt/Co	12887	100	APHA 23rd Edition 2120C
4	Total Suspended solids (TSS)	mg/l	70	150	IS:3025(P-17)84.Re.2012
5	Total Dissolved Solid (TDS)	mg/l	17524	10000	IS:3025(P-16)84.Re.06
6	BOD	mg/l	18	200	BIS:3025(P-44),1993
7	COD	mg/l	846	1000	IS:3025(P-58)2006
8	Oil & Grease	mg/l	1.6	10	APHA (23rd Ed)5220-D
9	Phenolic compound	mg/l	0.1	5	APHA, 5530-D, 5-49 to 5-50, 22nd Ed. 2017
10	Sulphide	mg/l	BDL	5	APHA(23rd Ed)4500-s-2
11	Ammonical Nitrogen	mg/l	37.7	50	IS:3025(P-34)1988 Re-03
12	Total Kjeldahl Nitrogen	mg/l	46	50	APHA-4500-Norg-B
13	Phosphate	mg/l	4	5	APHA-4500-P. C


Page 1 of 2



14	Chlorides as Cl	mg/l	7782	1000	IS: 3025(P-32)1988Re-2007
15	Sulphate as SO <sub>4</sub>	mg/l	2035	1000	APHA 23rd Ed 4500 SO42- E
16	Cynide	mg/l	BDL	0.2	APHA(23 <sup>rd</sup> Ed )4500-D
17	Flourides	mg/l	0.51	15	APHA 4500-F- D, 4-87 TO 4-88, 23rd Ed.2017
18	Hexavalent Chromium	mg/l	BDL	0.i	APHA(23rd Ed) 3500Cr-B
19	Total Chromium	mg/l	0.13	2	AAS- APHA(23rdEd)3111-B
20	Copper	mg/l	0.9	3	APHA 3111-CU-B
21	Nickel	mg/l	BDL	3	AAS-APHA(23rd Ed)3111-B
22	Zinc	mg/l	1.01	15	AAS-APHA(23rd Ed)3111-B
23	Iron	mg/l	1.05	3	APHA-3500-Fe.B
24	Manganese	mg/l	BDL	2	APHA-3500-Mn .B
25	Mercury	mg/l	BDL	0.01	APHA-3111-HG-B
26	Lead	mg/l	BDL	0.1	AAS-APHA(23rd Ed)3111-B
27	Arsenic	mg/l	BDL	0.2	APHA 3111-AS-B
28	Vanadium	mg/l	BDL	0.2	APHA-3500-V.B
29	Cadmium	mg/l	BDL	0.05	IS 3025 ( Part 41 ) : 1992
30	Selenium	mg/l	BDL	0.05	APHA-3500-Se.C
31	Insecticide/Pesticides	--	Absent	Absent	Pesticides &Insecticides Ref. USEPA 608,525.2

### END OF REPORT

  
Prepared by

  
Checked by

  
Verified by

### Terms and conditions governing the test report issued

- 1.The results are applicable only to the given samples.
- 2.The test report shall not be reproduced in full or part without the written approval of the SRICT Environmental Laboratory.
- 3.The test report in full or part shall not be used for promotional or publicity purpose without the written consent of SRICT Environmental Laboratory.
- 4.Water/Waste water samples shall be stored for the period of one month after the date of issue of Report.



# Shroff S.R. Rotary Institute of Chemical Technology



Principal Supporter & Sponsor-UPL Ltd. & Shroff family  
Managed by Ankleshwar Rotary Education Society  
Approved by AICTE, New Delhi, Govt. of Gujarat & Affiliated to GTU



## Test Report

<b>Customer Name &amp; Address:</b> M/s. Enviro Technology Ltd. Plot no. 2413/14 GIDC Estate, Ankleshwar Dist: Bharuch	<b>Report No :</b> SRICT/EAUDIT/20210920/A1  <b>Issue Date:</b> 20/09/2021  <b>Contact person:-</b> Mr. Narendra Patel
--	--

Sample Id Code	:	SRICT/20210914/A01			
Sample Description	:	ETL F/O			
Date of sampling	:	14/09/2021	Sample received By	:	SRICT Audit Team
Date of sample received	:	14/09/2021	Test parameter	:	As mentioned in CCA
Date of starting Analysis	:	15/09/2021	Quantity of Sample	:	2 Lit.
Date of completion Analysis	:	20/09/2021	Packed/Seal	:	Packed
No. Of Samples	:	01			

## RESULTS

Sr No	Parameter	Unit	Result	Permissible Limit	Method
1	pH	--	7.9	6.5 to 8.5	IS:3025(P-11)83Re.02
2	Temperature	°C	27	40	APHA (23rd Ed) 2500
3	Colour (co.pt scale)	Pt/Co	12765	100	APHA 23rd Edition 2120C
4	Total Suspended solids (TSS)	mg/l	58	150	IS:3025(P-17)84.Re.2012
5	Total Dissolved Solid (TDS)	mg/l	17830	10000	IS:3025(P-16)84.Re.06
6	BOD	mg/l	20	200	BIS:3025(P-44),1993
7	COD	mg/l	905	1000	IS:3025(P-58)2006
8	Oil & Grease	mg/l	1.9	10	APHA (23rd Ed)5220-D
9	Phenolic compound	mg/l	0.11	5	APHA, 5530-D, 5-49 to 5-50, 22nd Ed. 2017
10	Sulphide	mg/l	BDL	5	APHA(23rd Ed)4500-s-2
11	Ammonical Nitrogen	mg/l	34	50	IS:3025(P-34)1988 Re-03
12	Total Kjedadhl Nitrogen	mg/l	41	50	APHA-4500-Norg-B



# Shroff S.R. Rotary Institute of Chemical Technology

Principal Supporter & Sponsor-UPL Ltd. & Shroff family

Managed by Ankleshwar Rotary Education Society

Approved by AICTE, New Delhi, Govt. of Gujarat & Affiliated to GTU



13	Phosphate	mg/l	4.6	5	APHA-4500-P. C
14	Chlorides as Cl	mg/l	7878	1000	IS: 3025(P-32)1988Re-2007
15	Sulphate as SO <sub>4</sub>	mg/l	2019	1000	APHA 23rd Ed 4500 SO42- E
16	Cynide	mg/l	BDL	0.2	APHA(23 <sup>rd</sup> Ed )4500-D
17	Flourides	mg/l	0.72	15	APHA 4500-F- D, 4-87 TO 4-88, 23rd Ed.2017
18	Hexavalent Chromium	mg/l	BDL	0.1	APHA(23rd Ed) 3500Cr-B
19	Total Chromium	mg/l	0.16	2	AAS- APHA(23rdEd)3111-B
20	Copper	mg/l	0.92	3	APHA 3111-CU-B
21	Nickel	mg/l	BDL	3	AAS-APHA(23rd Ed)3111-B
22	Zinc	mg/l	1.06	15	AAS-APHA(23rd Ed)3111-B
23	Iron	mg/l	1.08	3	APHA-3500-Fe.B
24	Manganese	mg/l	BDL	2	APHA-3500-Mn .B
25	Mercury	mg/l	BDL	0.01	APHA-3111-HG-B
26	Lead	mg/l	BDL	0.1	AAS-APHA(23rd Ed)3111-B
27	Arsenic	mg/l	BDL	0.2	APHA 3111-AS-B
28	Vanadium	mg/l	BDL	0.2	APHA-3500-V.B
29	Cadmium	mg/l	BDL	0.05	IS 3025 ( Part 41 ) : 1992
30	Selenium	mg/l	BDL	0.05	APHA-3500-Se.C
31	Insecticide/Pesticides	--	Absent	Absent	Pesticides &Insecticides Ref. USEPA 608,525.2

END OF REPORT

Prepared by

Checked by

Verified by

### Terms and conditions governing the test report issued

1. The results are applicable only to the given samples.
2. The test report shall not be reproduced in full or part without the written approval of the SRICT Environmental Laboratory.
3. The test report in full or part shall not be used for promotional or publicity purpose without the written consent of SRICT Environmental Laboratory.
4. Water/Waste water samples shall be stored for the period of one month after the date of issue of Report.



March 5, 2013

**Enviro Technology Ltd.**  
Plot No.2413/2414,  
GIDC, Ankleshwar.

**Sub : Membership Certificate for Common Solid Waste Disposal Facility.**

Dear Sir,

We hereby certify that you have become member for the common Solid/Hazardous waste disposal facility of Bharuch Enviro Infrastructure Ltd., at GIDC, Ankleshwar. You have booked solid waste quantity of **36,000 MT / Year.** Your Membership No. is **Ank/048.**

Thanking you,

Yours faithfully,  
**For BHARUCH ENVIRO INFRASTRUCTURE LTD.**

**AUTHORISED SIGNATORY**



DG CL

No. DGVCL/Tech-3/BRH/Addl-29/

**Dakshin Gujarat Vij Company Ltd.**

Nana Varachha Road, Kapodra Char Rasta  
SURAT: 395 006.

12583-

Phone No.: 0261 - 2804231

Fax No.: 0261 - 2572636

Email [dgvl.gebmail.com](mailto:dgvl.gebmail.com)

Date:

12583-

"Save Energy for Benefit of Self and Nation"

27 MAR 2006

**BY R.P.A.D.**

To,

M/s Enviro Technology Limited,

2413 14, GIDC.

ANKLESHWAR - 393 002.

*AGH.  
Bl. speak.  
B.S.*

Sub: - Release of additional power of 125 KVA to raise your contract demand from 475 KVA to 600 KVA at GIDC, Ankleshwar - HT NO. 39564.

Ref: - (1) Estimate No: DGVCL/TECH-3/BRH/Addl-29/ 11749 Dtd. 27/02/06

(2) Agreement execution Date: - 23/03/06.

Dear Sir,

With reference to the above, this is to inform you that it is agreed to release additional load of 125 KVA during day and night hours in addition to existing load of 475 KVA presently drawn, raising your contract demand from 475 KVA to 600 KVA. Out of total contract demand of 600 KVA you are permitted to utilize 600 KVA only during day and night hours. The above load is released on contingent basis i.e. withdrawable at any time without giving any notice if the power position so warrants. This is subject to power cut in force from time to time.

You may please contact of E.E., Ankleshwar-Ind Dn. who will arrange to release supply as soon as he is ready on his side.

From the date of release of additional power you will be billed on the basis of increased contract demand of 600 KVA on tariff HTP- II A.


Actual power supply shall be released only after furnishing of No Objection Certificate (Not Site Clearance) from Gujarat Pollution Control Board GANDHINAGAR to our field office under intimation to this office, failing which the minimum bill shall commence after expiry of two months from the of issue of this letter, if you fail to avail this power within two months period from the date of this letter, you will be billed for your total contract demand inclusive of this additional load for monthly minimum charges after expiry of two months period from the date of issue of this letter as per provision of tariff as imposed from time to time for your total contract demand of 600 KVA which is inclusive of addl demand of 125 KVA.

Yours faithfully,

**ADDL. CHIEF ENGINEER (O&M)**

*27/03/06*

# PLANT LAYOUT



SHREEJI CHEMICAL  
PLOT NO. = 2210

PLOT NO. = 2211

PLOT NO 2413/14

20.00 M. WIDE ROAD

KOTAR

KOTAR

KOTAR

શ્રીરામ સ્ટો

India Post

8271948189543  
R0948189543  
RL ANKLESHWAR IE SO <393002>  
Counter No:1,16/01/2020,14:37  
To:DR HVC CHARY GUNTAPALLI,BHOPAL  
PIN:462016, R.S.Nagar S.O  
From:DHARUCH ENVIRO-INFRA,GIDC  
Wt:55gms  
Amt:35.00(Cash)  
<Track on www.indiapost.gov.in>

**ENVIRO TECHNOLOGY LIMITED**

Date: 11.01.2020  
PCB ID: 15074

To,  
**Dr H V C Chary Guntapalli, Scientist D**  
**Ministry of Environment, Forest & Climate Change**  
Western Region Office,  
Kendriya Paryavaran Bhavan,  
Link Road No.3, E-5 Ravishankar Nagar  
Bhopal-462016

Sub: Compliance of newspaper advertisement for the Ec No. 10-82/2018-IA-III dated 16<sup>th</sup> December,2019.

Ref: Environmental Clearance F. No. 10-82/2018-IA-III dated 16<sup>th</sup> December,2019.

Dear Sir,

With Reference to the aforesaid Environmental Clearance F. No. 10-82/2018-IA-III dated 16<sup>th</sup> December, 2019, has been received on 25-December-2019 for proposed expansion with modification of xisting common effluent treatment plant of M/s Enviro Technology limited (ETL), Ankleshwar.


As mentioned in the EC condition No. X (i), Ec receipt has to be published in newspaper within 7 days from the date of receipt of the clearance letter in at least two local newspapers.

We would like to inform that we have published in English (Times of India) on 01<sup>st</sup> January, 2020 and a vernacular language, Gujarati (Divya Bhaskar ) Newspapers on 31<sup>st</sup> December, 2019.

The copies of the stated two newspapers are attached herewith for your reference and record.

Thanking you,

Yours Faithfully,  
**For, Enviro Technology Limited**

  
**B. D. Dalwadi**  
Chief Executive Officer

C.C: (1) Member Secretary  
Gujarat Pollution Control Board  
Paryavaran Bhavan, Sector-10/A, Gandhinagar-382010  
(2) Regional Officer  
Gujarat Pollution Control Board  
Ankleshwar

  
18/01/2020  
**Gujarat Pollution Control Board**  
Head Office  
Sector No. 10-A,  
Gandhinagar-382010

Received  
Gujarat Pollution Control Board  
R.O Ankleshwar  
16/1/2020

CIN NO. : U72200GJ1994PLC023786  
Works Office : 2413/2414 & 2211, GIDC Estate, Ankleshwar - 393 002 Dist. : Bharuch (Gujarat)  
Phone : (02646) 223569,252768 Fax : (02646) 250707  
Email : dalwadibd@beil.co.in, darjiam@beil.co.in  
Reg. Office : 970146, GIDC Estate, Ankleshwar - 393 002 Dist. : Bharuch (Gujarat)

ter beans and several other vegetables have risen too. According to Krishnakant Pawar, deputy secretary of APMC, Vashi, "Climate change happens to be the major factor for loss of production. The extended monsoon has badly hit farmers and destabilized the demand-

supply chain." At the wholesale APMC market in Vashi, supplies of onions have halved since September, say traders. The shortage of old onions and delay in harvesting the winter crop has kept prices high. "Mumbai market needs at least 100-125 truckloads of

sale market. During September and November last year, the prices were Rs 25-35 per kg, which jumped to Rs 50-130 per kg this year. To check prices, government stopped exports in September. This saw a slight dip in prices from Rs 50-60 per kg in the wholesale market to Rs 40-50 in October.

70 lakh a month as a retainer in one of the HDIL Group companies, according to chargesheet submitted in court by the Enforcement Directorate (ED) in the PMC Bank scam. The ED questioned her about the source of funds for the purchase of a bungalow in Bandra along with flats in Golf Links Building, and bungalows in Alibaug and Vasai.

# Man kills his ailing 62-yr-old mother to 'relieve' her of pain

Sandhya.Nair  
@timesgroup.com

**Mumbai:** A 30-year-old man allegedly killed his ailing 62-year-old mother to 'relieve' her of pain. The incident took place in the Bhabha Atomic Power Station (BARC) Colony at Tarapur on Sunday. The complainant, accused Jayprakash Dhobi's brother, has told the police his younger sibling was mentally unstable.

According to the complaint, the victim, Chandravati, was preparing breakfast for Jayprakash when he hit her on the head with an iron rod. The accused is single and unemployed. The complainant came to visit his mother after 11 am and saw Jayprakash sitting beside her body. He found iron rod was lying near him. Jayprakash told the police his mother was suffering from arthritis, blood pressure, diabetes

and cataract. He told the police she often complained of pain and he killed her to liberate her. The victim lived along with her 70-year-old husband, a retired Tarapur Atomic Power Station (TAPS) employee and a daughter, who teaches at the (NPCIL School in Vasapur. Jayprakash and his older brother resided in different homes in Duttatraye Nagar in Boisar. They would visit their mother every Sunday.

# Gift of life: City set for record, 79 transplants in one year

TIMES NEWS NETWORK

**Mumbai:** The city witnessed 14 life-saving transplants in the last one week thanks to four families who donated the organs of their loved ones. As the year ends, the city is set to witness a heartening record of 79 organ donations, the highest ever since cadaver donation programme started in 1997. Over 200 organ failure patients could undergo transplants owing to the cadaver donations.

The Zonal Transplant Coordination Committee data shows that the number of donations increased by 65% in 2019 when compared with 2018 (48). The number of donated organs too rose by 60% as compared to the previous year. This year also witnessed more bone donations and the first pancreas transplant in the city. Overall, 121 kidneys, 68 livers, 21 hearts, 10 lungs and one pancreas were donated. "The programme has seen unprecedented success this year, but the challenge now would be to sustain the momentum," said Dr S Mathur, president of

VALSAD	
ESI ACT 2002	
repayment of the loans have e notices were nancial Assets but they have ublic notice.	
Date of NPA	
057.00	30/06/2018
Four (ly) as interest etc.	
097.00	19/05/2017
Nine as on st. and	
162.00	31/12/2018
ndred 9 with dental	
38.00	16/05/2019
Nine Eight further nses,	
ver(s) and/or payment of failing which notice under al Assets and	
icer T Branch	

## PUBLIC NOTICE FOR TITLE CLEARANCE REPORT

That Virenbhai Kurjibhai Bhroliya is absolute owner of below mentioned properties and he have obtained Title Clearance Report from me to obtain bank loan. Thereafter he informed that below original documents are lost. Therefore if any person, society, institution, group, trust, banks etc. Owing any right, interest, lien or claim of whatsoever nature in respect thereof are hereby informed to raise any such rights or claims within a period of 15 days from this notice along with all documentary proof, thereafter no any rights or claims shall be entertained and additional report will be issued.

**Property Details:-** All that piece and parcels of the immovable property of Industrial Plot No. 79, 80 totally admeasuring 265.52 sq.mtrs. in the industrial estate which is known as "Swaminarayan Industrial Estate" situated on the land bearing Revenue Survey No. 385, 386, 387, 389 paiki having it's Block No. 304 of Village :Tatithaiya, Sub District: Palsana, District : Surat.

**Lost Documents:-** (1) Original sale deed No. 292 dated 27.03.2002, (2) Original sale deed No. 291 dated 27.03.2002 & (3) Original sale deed No. 475 dated 30.03.1994 alongwith original registration receipts of above all sale deeds.

Rakesh A. Wadhvani (Advocate) e no. 202, Dalal Ch. s. napura, Surat. Ph. 98251-37257


## PUBLIC NOTICE ENVIRONMENTAL CLEARANCE

It is hereby informed that the Ministry of Environment, Forest and Climate change (IA, III Section), Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 3, has accorded Environmental Clearance for Proposed Expansion with modification of existing Common Effluent treatment Plant of M/s. Enviro Technology Limited. (ETL) at Plot no.2413/2414 & 2211, GIDC Ankleshwar-393002 (Gujarat) vide letter No. F. No. 10-82/2018-IA-III dated 16/12/2019 under the provision of EIA Notification dated 14th September 2006, which we have received on 25/12/2019. Copies of Clearance letter are available on website of MoEFCC/SEIAA.

Date: 30/12/2019

B D Dalwadi  
(CHIEF EXECUTIVE OFFICER)

## CADAVER DONATIONS IN MUMBAI



ZTCC. "Our next aim would be increase the donor pool and that could be achieved by recognizing more Non-transplant organ retrieval centres and encouraging them to identify donors," he said. TNN

BA  
15  
24  
14  
3.1  
6.1  
10  
10  
44  
5.1  
74  
CH  
11:  
36  
36  
7:1  
p.m.  
10:  
10:  
C  
6:3  
10:  
CH  
10:  
3:3  
10:  
7:3  
SUI  
ATN  
10d  
9:11  
9:21  
ATN  
10.4  
1, 1  
2:61  
H  
10:  
11:4  
3:01  
6:51  
DIN  
6:11  
SHI  
1:31  
ATM  
10:3  
CINI  
1:00  
3:45  
EMP  
6:51  
RAJ  
10:3  
REL  
CRY  
TOP  
11:4  
12:0  
1:15  
CAR  
GAN  
RAJ  
12:4  
ADV  
11:0  
9:30  
p.m.  
CINE  
3:30  
VERI  
p.m.  
ERA



સેપીઓકના મૂલ્યાંકન માટે મોનીટરીંગ ટીમ આગામી મહિને આવી રહી છે. પૂર્વેજ એન.સી.ટીનું ઈનલેટ-આઉટ લેટની માત્ર વધુ આવતા દોડધામ મચી છે. છેલ્લા 2 મહિના ઈન-આઉટ ડેતા પરિણામ બગાડ્યા છે. પર્યાવરણવાદી દ્વારા ઉચ્ચસ્તરીય રજુઆત કરી છે. એનસીટીમાં નિયત માત્રા કરતા વધુ સ્વજ સંગ્રહ દુર્ગંધ ફેલાતા આજુબાજુ

કરા રહ્યા છે. અંકલેશ્વરના (FETP) ફાઈનલ એક્લુએન્ટ ટ્રીટમેન્ટ પ્લાન્ટ (NCT) જીપીસીબી ના માપ દંડો મુજબ કામના કરતા ચિંતામાં વધારો જાવા મળી રહ્યો છે. અંકલેશ્વર, પાનોલી અને ઝગડિયા વિસ્તારમાં આવેલા ઓદ્યોગિક એકમોના ગંદા પાણીને શુદ્ધ કરી દરિયા સુધી લઈ જવાનું કાર્ય NCT દ્વારા થાય છે. જે છેલ્લા 2 મહિના થી માપ દંડો

(આઘાગક વસ્ત) નિર્ધારિત માત્રા થી વધુ જમા થયેલ છે જેનાથી પીરામણ અને અંકલેશ્વર સહિત આસપાસ ના વિસ્તારોમાં દુર્ગંધ ફેલાઈ રહી છે અને હવાના આ પ્રદુષણને લીધે આસપાસ આવેલ માનવ વસાહતોની પ્રજાના સ્વસ્થા પર ગંભીર અસરો ઉભી થઈ રહી છે. સ્થાનિક પ્રકૃતિ સુરક્ષા મંડળ દ્વારા આ અંગે જીપીસીબીમાં લેખિત ફરિયાદ કરી છે. ફાઈનલ એક્લુએન્ટ

બે મહિના થી જીપીસીબીએ નિર્ધારિત કરેલ માપદંડો મુજબ કાર્ય કરતું નથી જેમાં મુખ્યત્વે કેમિકલ ઓક્સીજન ડીમાંડ (COD) અને એમોનીકલ નાઈટ્રેટ (NH3-N) ટ્રીટમેન્ટ થયા પછી પણ તેના નિયત માત્રા થી વધુ NCT ના આઉટ લેટ માં નોંધવામાં આવેલ છે. અને આ પાઈપલાઈન દ્વારા કંટીયાજાળના દરિયા સુધી જાય છે.

# જાળતાં તસ્કરો વીલા મોઢે પરત ફર્યા હરિ-હર કોમ્પ્લેક્ષના મે નિશાન બનાવ્યા

પુષ્પકુંજ હરિ-હર કોમ્પ્લેક્ષના મકાન નંબર-39, 40માં હેમંતસિંહ ફરિપ્રસાદ ઠાકોરનાઓ રહે છે. પાનિવાર તેમના બંધ બે મકાનોને યાત્રી દરમિયાન તસ્કરોએ નિશાન મનાવી મકાનના દરવાજાના નકુચા ધોડી મકાનમાં પ્રવેશ કર્યો હતો. તસ્કરોએ મકાનમાં મુકેલી તિજોરી મહીત કબાટો પોલીને સમાનને મસ્તવ્યસ્ત કરી નાખ્યો હતો. જોકે

તસ્કરોને કોઈ પણ કિંમતી ચીજ વસ્તુ હાથ નહિ લાગતા માત્ર 5 જેટલી સાડીઓ લઈને પલાયન થઈ ગયા હતા. બનાવની જાણ થતાં જ પરિવારે મકાનમાં તપાસ કરતા સાડી સિવાય કોઈ પણ વસ્તુ નહીં ગઈ હોવાથી રાહતનો શ્વાસ લીધો હતો. સી ડિવિઝન પોલીસે તસ્કરોને ઝડપી પાડવાના ચક્રોગતિમાન કર્યા છે.

# ઓને સેલ્ફ ડિક્લેન્સની તાલીમ આપી અને મેગા ડેમોન્સ્ટ્રેશન 2000 યુવતીઓએ શક્તિનું પ્રદર્શન કર્યું



ભરૂચના હોસ્ટેલ ગ્રાઉન્ડ ખાતે સ્કૂલ, કોલેજની વિદ્યાર્થીનીઓ માટે એ.બી.વી.પી દ્વારા મિશન સાહસીનું આયોજન કરાયું હતું. • સંજય પટેલ

# 6 હજાર ઉપરાંતનો ઈંગ્લિશ દારૂ જપ્ત કર્યો અંકલેશ્વર GIDCમાં પાનના ગલ્લામાંથી દારૂ ઝડપાયો LCBએ ચામુંડા પાન કોર્નરમાં દારૂ ઝડપી પાડ્યો

ભાસ્કર વ્યૂઝ | અંકલેશ્વર  
અંકલેશ્વર જીઆઈડીસી પાનના ગલ્લા માંથી ઈંગ્લિશ દારૂ એલ.સી. બી ઝડપી પાડ્યો હતો. 31 ડિસેમ્બર પૂર્વે પોલીસ ચેકીંગ દરમિયાન જી.આઈ. એલ.ચોકડી પર ચામુંડા પાન કોર્નરમાં દારૂ મળી આવ્યો હતો. 6 હજાર ઉપરાંતનો ઈંગ્લિશ દારૂ જપ્ત કર્યો હતો. તેમજ પાનના ગલ્લા સંચાલક ધરપકડ કરી હતી. અંકલેશ્વર પોલીસ દ્વારા 31 ડિસેમ્બરની ઉજાણીને લઈ ઈંગ્લિશ દારૂનો જથ્થો




















ઝડપી પાડવાની ક્વાયત હાથ ધરી હતી. દરમિયાન ભરૂચ એલસીબી પોલીસ દ્વારા ચોક્કસ માતમી આધારે જી.આઈ.એલ. ચોકડી શાકમાર્કેટ પાસે ચામુંડા પાન કોર્નર પર સર્ચ કરતા અંદર થી ઈંગ્લિશદારૂ નો જથ્થો મળી આવ્યો હતો. પોલીસે વિવિધ બ્રાન્ડની ઈંગ્લિશ દારૂ બોટલ જપ્ત કરી હતી. તેમજ પાનના ગલ્લા સંચાલક જીતેન્દ્ર ઈશ્વર ચાવડાની ધરપકડ કરી હતી.

**કેનેડા-ઓસ્ટ્રેલિયા**  
3 વર્ષ વર્ક પર્મીટ (2 લાખ પગાર)  
**અમેરીકા**  
10 વર્ષના વિઝીટર વિઝા  
૮૧૪૦૯૫૫૯૨૦

**જાહેર સુચના**  
**પર્યાવરણીય મંજૂરી**  
આ સાર્થે જણાવવામાં આવે છે કે, મિનિસ્ટ્ર ઓફ એન્વાયરોમેન્ટ, ફોરેસ્ટ એન્ડ ક્લાયમેટ યેન્ચ(1A, III section) ઇન્ડિયા પર્યાવરણ ભવન, નોર બાગ રોડ, નવી દિલ્હી-૩, દ્વારા એનવીરો ટેકનોલોજી લિમિટેડ, પ્લોટ નં.૨૨૧૩/૨૪૧૪ & ૨૨૧૧, જી.આઈ.ડી.સી. ઇન્ડસ્ટ્રીયલ ઈસ્ટેટ, અંકલેશ્વર-૩૯૩૦૦૨ (ગુજરાત) ખાતે હાલનાં કોમનએક્લુએન્ટ ટ્રીટમેન્ટ પ્લાન્ટ માં ફેરફાર સાથે સુચીત વધારો કરવા માટેની પર્યાવરણીય મંજૂરી ક્રમાંક નં. F. NO. 10-82/2018-IA-III તારીખ 19-12-2018 દ્વારા ઈ.આઈ.એ.નોટીફિકેશન તારીખ ૧૪ સપ્ટેમ્બર ૨૦૦૬ નોગવાઈ ફેઝન આપેલ છે, જે અમને તારીખ ૨૬-૧૨-૨૦૧૯ ના રોજ મળેલ છે. ક્લીયરન્સ ધરાવતી નકલ મિનિસ્ટ્ર ઓફ એન્વાયરોમેન્ટ, ફોરેસ્ટ એન્ડ ક્લાયમેટ યેન્ચ ની વેબસાઈટ ઉપર ઉપલબ્ધ છે.  
**બી.ડી.દલપાડી**  
(ચીફ એક્ઝીક્યુટીવ ઓફીસર)  
તા.૩૦-૧૨-૨૦૧૯

**Environment Clearance for proposed expansion with modification of CETP – ETL  
Ankleshwar**

Sr. No.	Address	Sign
1	Jilla Panchayat office, Bharuch	
2	Taluka Panchayat Office Ankleshwar	
3	Taluka Panchayat Office Jhagadia	
4	The Sarpanch Gram Panchayat – Dadhal	
5	The Sarpanch Gram Panchayat – Kosambdi	
6	The Sarpanch Gram Panchayat – Kapodara	
7	The Sarpanch Gram Panchayat – Bhadkodara	
8	The Sarpanch Gram Panchayat – Andada	
9	The Sarpanch Gram Panchayat – Jitali	
10	The Sarpanch Gram Panchayat – Gadkhoi	

11	The Sarpanch Gram Panchayat – Piraman, Piraman, Ankleshwar	 15-1-2020 પીરામણ ગ્રામ પંચાયત તા. અંકલેશ્વર, જિ. ભરૂચ
12	The Sarpanch Gram Panchayat – Sarangpur	 સરંગપુર ગ્રામ પંચાયત તા. અંકલેશ્વર, જિ. ભરૂચ
13	Mr. Yogesh P. Panua Safety Health and Environment Association	 Bharuch
14	Mr. Jayesh Patel Centre For Environment Science and Community,	
15	Manish Rana Paryavaran Mitra	
16	Ankleshwar Nagar Palika,	 15-1-2020 અંકલેશ્વર નગર પેલા સદન
17	Notified Area Office, Ankieshwar	
18	Notified Area Office, Panoli	Date:- 15/1/2020 Notified Area Office GIDC, Panoli.
19	Notified Area Office, Jhagadia	 15/1/20
20	Collector District Collector office, Bharuch	 15/1/20
21	The principle, Footwear Design & Development Institute	
22	The Principle, Pioneer School, Jitali	I/C Belim MS. આચાર્ય શ્રી



પાયોનિઅર માધ્યમિક અને  
ઉચ્ચતર માધ્યમિક શાળા  
જિતાલી તા. અંકલેશ્વર જિ. ભરૂચ

23	The Principle, P. S School, Jitali	<i>E/C</i> <i>12/11/20</i> <i>12/11/20</i>
24	The Principle Shree Gattu Vidyalaya, Ankleshwar	<i>P</i> PRINCIPAL SHREE GATTU VIDYALAYA ANKLESHWAR
25	The Principle, Smt Puspavati Devidas Shroff Sanskardeep Vidhyalaya Ankleshwar	<i>P</i> SHROFF SMT. PUSPAVATI DEVIDAS 2019 13/11/2020 98530950076
26	The Principle Lions International Academy, Ankleshwar	<i>D</i> 13/11/2020 98530950076
27	The Principle Lion School Ankleshwar	<i>R. D. Jayar</i>
28	The Principle, Chandrabala Modi, academy, Ankleshwar	<i>Symul</i> 15/11/2020 PRINCIPAL CHANDERBALA MODI ACADEMY P.O. KONDR, VALIA ROAD, ANKLESHWAR - 390 001 DIST. BHARUCH (GUJARAT)
29	The Principle, R.B.L.P.S School, Ankleshwar	
30	Dr. A. K. Patel Ankleshwar	<i>Shrikant K. H</i> 02646-246535
31	Dr. Mahesh Mistry Ankleshwar	<i>[Signature]</i>
32	Administration office, ESIC Hospital	<i>Soni</i> 15/11/2020
33	Smt. Jayaben Modi Hospital	<i>Soni</i> 13/11/20



o/c

ENVIRO TECHNOLOGY LIMITED

Ref: ETL/ANK/04/2021/108

26<sup>th</sup> April, 2021

ID # 15074

To,  
The Member Secretary  
Gujarat Pollution Control Board  
Paryavaran Bhavan  
Sector - 10 / A,  
Gandhinagar

**Sub: Environmental Statement for the year 2020 - 2021**

Dear Sir,

We are forwarding herewith Environmental Statement (Form V) for our Common Effluent Treatment Plant situated at Plot No.2413 / 2414 & 2211 G.I.D.C., Ankleshwar - 393 002; Dist. Bharuch, for the year 2020 - 2021. The treated effluent is being sent to FETP of NCT for further treatment and disposal.

Thanking you.


Yours faithfully,

For, Enviro Technology Ltd

  
A.M. Darji

General Manager- Operation

CC: The Regional Officer, GPCB, Ankleshwar



CIN NO. :

U72200GJ1994PLC023786

Works Office :

2413/2414 & 2211, GIDC Estate, Ankleshwar - 393 002 Dist. : Bharuch (Gujarat)

Phone : (02646) 223569, 252768, 250707